Medical Policy



Wheelchair Cushions/Seating Systems

Description

Specialized pressure-reducing cushions and/or seating systems are used to prevent the formation of pressure ulcers and allow for proper positioning of the individuals in a wheelchair.

▼Policy

Wheelchair cushions and seating systems are considered **reasonable and necessary** for Members that meet coverage criteria.

▼Policy Guidelines

Coverage Criteria:

A general use seat cushion (E2601, E2602) and a general use wheelchair back cushion (E2611-E2612) is covered for a member who has a manual wheelchair or a power wheelchair with a sling/solid seat/back which meets Medicare coverage criteria. If the member does not have a covered wheelchair, then the cushion will be denied as not reasonable and necessary. If the member has a POV or a power wheelchair with a captain's chair seat, the cushion will be denied as not reasonable and necessary.

For members who meet coverage criteria for a power wheelchair and who do not have special skin protection or positioning needs, a power wheelchair with Captain's Chair provides appropriate support. Therefore, if a general use cushion is provided with a power wheelchair with a sling/solid seat/back instead of Captain's Chair, the wheelchair and the cushion(s) will be covered if either criterion 1 or criterion 2 is met:

- 1. The cushion is provided with a covered power wheelchair base that is not available in a Captain's Chair model i.e., codes K0839, K0840, K0843, K0860 K0864, K0870, K0871, K0879, K0880, K0886, K0890, K0891; or
- 2. A skin protection and/or positioning seat or back cushion that meets coverage criteria is provided.

If one of these criteria is not met, both the power wheelchair with a sling/solid seat and the general use cushion will be denied as not reasonable and necessary.

If the member has a POV or a power wheelchair with a captain's chair seat, a separate seat and/or back cushion will be denied as not reasonable and necessary.

A skin protection seat cushion (E2603, E2604, E2622, E2623) is covered for a member who meets both of the following criteria:

- The member has a manual wheelchair or a power wheelchair with a sling/solid seat/back and the member meets Medicare coverage criteria for it; and
- 2. The member has either of the following:
 - a. Current pressure ulcer or past history of a pressure ulcer (see diagnosis codes that support medical necessity section below) on the area of contact with the seating surface; or
 - b. Absent or impaired sensation in the area of contact with the seating surface or inability to carry out a functional weight shift due to one of the following diagnoses: spinal cord injury resulting in quadriplegia or paraplegia, other spinal cord disease, multiple sclerosis, other demyelinating disease, cerebral palsy, anterior horn cell diseases including amyotrophic lateral sclerosis, post-polio paralysis, traumatic brain injury resulting in quadriplegia, spina bifida, childhood cerebral degeneration, Alzheimer's disease, Parkinson's disease, muscular dystrophy, hemiplegia, Huntington's chorea, idiopathic torsion dystonia, athetoid cerebral palsy, arthrogryposis, osteogenesis imperfecta, spinocerebellar disease or transverse myelitis(see diagnosis codes that support medical necessity section below).

A positioning seat cushion (E2605, E2606), positioning back cushion (E2613-E2616, E2620, E2621), and positioning accessory (E0953, E0955-E0957, E0960) is covered for a member who meets both of the following criteria:

- The member has a manual wheelchair or a power wheelchair with a sling/solid seat/back and the member meets Medicare coverage criteria for it; and
- 2. The member has any significant postural asymmetries that are due to one of the diagnoses listed in criterion 2b above or to one of the following diagnoses: monoplegia of the lower limb due to stroke, traumatic brain injury, or other etiology, spinocerebellar disease, above knee leg amputation, osteogenesis imperfecta, transverse myelitis (see diagnosis codes that support medical necessity section below).

A headrest (E0955) is also covered when the member has a covered manual tilt-in-space, manual semi or fully reclining back on a manual wheelchair, a manual fully reclining back on a power wheelchair, or power tilt and/or recline power seating system.

If the member has a POV or a power wheelchair with a captain's chair seat, a headrest or other positioning accessory will be denied as not reasonable and necessary.

A combination skin protection and positioning seat cushion (E2607, E2608, E2624, E2625) is covered for a member who meets the criteria for both a skin protection seat cushion and a positioning seat cushion.

For combination skin protection and positioning items (HCPCS codes E2607, E2608, E2624, E2625), use one of the following (either 1 or 2):

- (1) one diagnosis code from Group 1 and one diagnosis code from Group 3 (total of 2 diagnosis codes); or,
- (2) one diagnosis code from Group 2.

If a skin protection seat cushion, positioning seat cushion, or combination skin protection and positioning seat cushion is provided and if the stated coverage criteria are not met, it will be denied as not reasonable and necessary.

If a positioning back cushion is provided for a member who does not meet the stated coverage criteria, it will be denied as not reasonable and necessary.

If a positioning accessory is provided and the criteria are not met, the item will be denied as not reasonable and necessary.

Code E1028 (swingaway or removable mounting hardware upgrade) may be billed in addition to codes E0953, E0955-E0957. It must not be billed in addition to code E0960. It must not be used for mounting hardware related to a wheelchair seat cushion or back cushion code.

A custom fabricated seat cushion (E2609) is covered if criteria (1) and (3) are met. A custom fabricated back cushion (E2617) is covered if criteria (2) and (3) are met:

- 1. Member meets all of the criteria for a prefabricated skin protection seat cushion or positioning seat cushion;
- 2. Member meets all of the criteria for a prefabricated positioning back cushion;
- 3. There is a comprehensive written evaluation by a licensed/certified medical professional, such as a physical therapist (PT) or occupational therapist (OT), which clearly explains why a prefabricated seating system

is not sufficient to meet the member's seating and positioning needs. The PT or OT may have no financial relationship with the supplier.

If a custom fabricated cushion is provided for a member who does not meet the stated coverage criteria, it will be denied as not reasonable and necessary.

A seat or back cushion that is provided for use with a transport chair (E1037, E1038) will be denied as not reasonable and necessary.

The effectiveness of a powered seat cushion (E2610) has not been established. Claims for a powered seat cushion will be denied as not reasonable and necessary.

A prefabricated seat cushion, a prefabricated positioning back cushion, or a brand name custom fabricated seat or back cushion which has not received a written coding verification from the Pricing, Data Analysis, and Coding (PDAC) contractor or which does not meet the criteria stated in the Coding Guidelines section (see Policy Article) will be denied as not reasonable and necessary.

Wheelchair seat and back cushion codes are all-inclusive. Use of HCPCS code K0108 or any other HCPCS code to separately bill for added components such as the foam blocks, gel packs, air cells, or equivalent material is incorrect coding.

HCPCS CODES:

SEAT CUSHIONS:

Group 1 Codes:

| HCPCS | Description |
|-------|---|
| E2601 | GENERAL USE WHEELCHAIR SEAT CUSHION, WIDTH LESS |
| | THAN 22 INCHES, ANY DEPTH GENERAL USE WHEELCHAIR SEAT CUSHION, WIDTH 22 |
| E2602 | INCHES OR GREATER, ANY DEPTH |
| E2603 | SKIN PROTECTION WHEELCHAIR SEAT CUSHION, WIDTH LESS |
| E2003 | THAN 22 INCHES, ANY DEPTH |
| E2604 | SKIN PROTECTION WHEELCHAIR SEAT CUSHION, WIDTH 22 |
| L2004 | INCHES OR GREATER, ANY DEPTH |
| E2605 | POSITIONING WHEELCHAIR SEAT CUSHION, WIDTH LESS |
| L2003 | THAN 22 INCHES, ANY DEPTH |
| E2606 | POSITIONING WHEELCHAIR SEAT CUSHION, WIDTH 22 INCHES |
| E2000 | OR GREATER, ANY DEPTH |
| E2607 | SKIN PROTECTION AND POSITIONING WHEELCHAIR SEAT |
| E2001 | CUSHION, WIDTH LESS THAN 22 INCHES, ANY DEPTH |
| E2608 | SKIN PROTECTION AND POSITIONING WHEELCHAIR SEAT |
| | CUSHION, WIDTH 22 INCHES OR GREATER, ANY DEPTH |
| E2609 | CUSTOM FABRICATED WHEELCHAIR SEAT CUSHION, ANY |

| HCPCS | Description SIZE |
|-------|--|
| E2610 | WHEELCHAIR SEAT CUSHION, POWERED |
| E2622 | SKIN PROTECTION WHEELCHAIR SEAT CUSHION, ADJUSTABLE, WIDTH LESS THAN 22 INCHES, ANY DEPTH |
| E2623 | SKIN PROTECTION WHEELCHAIR SEAT CUSHION, ADJUSTABLE, WIDTH 22 INCHES OR GREATER, ANY DEPTH SKIN PROTECTION AND POSITIONING WHEELCHAIR SEAT |
| E2624 | CUSHION, ADJUSTABLE, WIDTH LESS THAN 22 INCHES, ANY DEPTH |
| E2625 | SKIN PROTECTION AND POSITIONING WHEELCHAIR SEAT CUSHION, ADJUSTABLE, WIDTH 22 INCHES OR GREATER, ANY DEPTH |

Group 2 Paragraph: BACK CUSHIONS:

Group 2 Codes:

| HCPCS | Description |
|-------|---|
| | GENERAL USE WHEELCHAIR BACK CUSHION, WIDTH LESS |
| E2611 | THAN 22 INCHES, ANY HEIGHT, INCLUDING ANY TYPE |
| | MOUNTING HARDWARE |
| | GENERAL USE WHEELCHAIR BACK CUSHION, WIDTH 22 |
| E2612 | INCHES OR GREATER, ANY HEIGHT, INCLUDING ANY TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, POSTERIOR, |
| E2613 | WIDTH LESS THAN 22 INCHES, ANY HEIGHT, INCLUDING ANY |
| E2013 | TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, POSTERIOR, |
| E2614 | WIDTH 22 INCHES OR GREATER, ANY HEIGHT, INCLUDING |
| LZOTT | ANY TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, POSTERIOR- |
| E2615 | LATERAL, WIDTH LESS THAN 22 INCHES, ANY HEIGHT, |
| | INCLUDING ANY TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, POSTERIOR- |
| E2616 | LATERAL, WIDTH 22 INCHES OR GREATER, ANY HEIGHT, |
| | INCLUDING ANY TYPE MOUNTING HARDWARE |
| E2617 | CUSTOM FABRICATED WHEELCHAIR BACK CUSHION, ANY |
| E2011 | SIZE, INCLUDING ANY TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, PLANAR BACK |
| E2620 | WITH LATERAL SUPPORTS, WIDTH LESS THAN 22 INCHES, |
| | ANY HEIGHT, INCLUDING ANY TYPE MOUNTING HARDWARE |
| | POSITIONING WHEELCHAIR BACK CUSHION, PLANAR BACK |
| E2621 | WITH LATERAL SUPPORTS, WIDTH 22 INCHES OR GREATER, |
| | ANY HEIGHT, INCLUDING ANY TYPE MOUNTING HARDWARE |

Group 3 Paragraph: POSITIONING ACCESSORIES:

Group 3 Codes:

| HCPCS | Description |
|-------|---|
| | WHEELCHAIR ACCESSORY, LATERAL THIGH OR KNEE |
| E0953 | SUPPORT, ANY TYPE INCLUDING FIXED MOUNTING HARDWARE, EACH |
| E0955 | WHEELCHAIR ACCESSORY, HEADREST, CUSHIONED, ANY TYPE, INCLUDING FIXED MOUNTING HARDWARE, EACH WHEELCHAIR ACCESSORY, LATERAL TRUNK OR HIP |
| E0956 | SUPPORT, ANY TYPE, INCLUDING FIXED MOUNTING HARDWARE, EACH |
| E0957 | WHEELCHAIR ACCESSORY, MEDIAL THIGH SUPPORT, ANY TYPE, INCLUDING FIXED MOUNTING HARDWARE, EACH |
| E0960 | WHEELCHAIR ACCESSORY, SHOULDER HARNESS/STRAPS OR CHEST STRAP, INCLUDING ANY TYPE MOUNTING HARDWARE |
| E0966 | MANUAL WHEELCHAIR ACCESSORY, HEADREST EXTENSION, EACH |
| E1028 | WHEELCHAIR ACCESSORY, MANUAL SWINGAWAY, RETRACTABLE OR REMOVABLE MOUNTING HARDWARE FOR JOYSTICK, OTHER CONTROL INTERFACE OR POSITIONING ACCESSORY |

Group 4 Paragraph: MISCELLANEOUS:

Group 4 Codes:

| HCPCS | Description |
|--------------|---|
| A9900 | MISCELLANEOUS DME SUPPLY, ACCESSORY, AND/OR |
| | SERVICE COMPONENT OF ANOTHER HCPCS CODE |
| E0992 | MANUAL WHEELCHAIR ACCESSORY, SOLID SEAT INSERT |
| | MANUAL WHEELCHAIR ACCESSORY, SOLID SEAT SUPPORT |
| E2231 | BASE (REPLACES SLING SEAT), INCLUDES ANY TYPE |
| | MOUNTING HARDWARE |
| E0004 | BACK, PLANAR, FOR PEDIATRIC SIZE WHEELCHAIR |
| E2291 | INCLUDING FIXED ATTACHING HARDWARE |
| = | SEAT, PLANAR, FOR PEDIATRIC SIZE WHEELCHAIR |
| E2292 | INCLUDING FIXED ATTACHING HARDWARE |

| HCPCS | Description |
|--------------|---|
| E2293 | BACK, CONTOURED, FOR PEDIATRIC SIZE WHEELCHAIR |
| | INCLUDING FIXED ATTACHING HARDWARE |
| E2294 | SEAT, CONTOURED, FOR PEDIATRIC SIZE WHEELCHAIR |
| | INCLUDING FIXED ATTACHING HARDWARE |
| E2619 | REPLACEMENT COVER FOR WHEELCHAIR SEAT CUSHION OR |
| | BACK CUSHION, EACH |
| K0108 | WHEELCHAIR COMPONENT OR ACCESSORY, NOT |
| | OTHERWISE SPECIFIED |
| | WHEELCHAIR ACCESSORY, WHEELCHAIR SEAT OR BACK |
| K0669 | CUSHION, DOES NOT MEET SPECIFIC CODE CRITERIA OR NO |
| | WRITTEN CODING VERIFICATION FROM DME PDAC |

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph: The presence of an ICD-10 code listed in this section is not sufficient by itself to assure coverage. Refer to the section on Coverage Indications, Limitation and/or Medical Necessity for other coverage criteria and payment information.

For HCPCS codes E2603, E2604, E2622, E2623:

Group 1 Codes:

| ICD-10 Code | Description |
|----------------|----------------------------------|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |

| ICD-10 Code | Description |
|----------------|---|
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20 | Parkinson's disease |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |

| ICD-10 Code | Description |
|----------------|--|
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G 37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.09 | Other specified muscular dystrophies |
| G71.2 | Congenital myopathies |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |

| ICD-10 Code | Description |
|----------------|---|
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| l69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| l69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| l69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic |

| ICD-10 Code | Description |
|----------------|--|
| | intracranial hemorrhage affecting unspecified side |
| 169.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| 169.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| 169.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| 169.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| 169.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| 169.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| 169.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| 169.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| 169.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| 169.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| 169.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| 169.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| 169.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| L89.130 | Pressure ulcer of right lower back, unstageable |
| L89.131 | Pressure ulcer of right lower back, stage 1 |
| L89.132 | Pressure ulcer of right lower back, stage 2 |
| L89.133 | Pressure ulcer of right lower back, stage 3 |
| L89.134 | Pressure ulcer of right lower back, stage 4 |
| L89.140 | Pressure ulcer of left lower back, unstageable |
| L89.141 | Pressure ulcer of left lower back, stage 1 |
| L89.142 | Pressure ulcer of left lower back, stage 2 |

| ICD-10 Code | Description |
|----------------|--|
| L89.143 | Pressure ulcer of left lower back, stage 3 |
| L89.144 | Pressure ulcer of left lower back, stage 4 |
| L89.150 | Pressure ulcer of sacral region, unstageable |
| L89.151 | Pressure ulcer of sacral region, stage 1 |
| L89.152 | Pressure ulcer of sacral region, stage 2 |
| L89.153 | Pressure ulcer of sacral region, stage 3 |
| L89.154 | Pressure ulcer of sacral region, stage 4 |
| L89.200 | Pressure ulcer of unspecified hip, unstageable |
| L89.201 | Pressure ulcer of unspecified hip, stage 1 |
| L89.202 | Pressure ulcer of unspecified hip, stage 2 |
| L89.203 | Pressure ulcer of unspecified hip, stage 3 |
| L89.204 | Pressure ulcer of unspecified hip, stage 4 |
| L89.210 | Pressure ulcer of right hip, unstageable |
| L89.211 | Pressure ulcer of right hip, stage 1 |
| L89.212 | Pressure ulcer of right hip, stage 2 |
| L89.213 | Pressure ulcer of right hip, stage 3 |
| L89.214 | Pressure ulcer of right hip, stage 4 |
| L89.220 | Pressure ulcer of left hip, unstageable |
| L89.221 | Pressure ulcer of left hip, stage 1 |
| L89.222 | Pressure ulcer of left hip, stage 2 |
| L89.223 | Pressure ulcer of left hip, stage 3 |
| L89.224 | Pressure ulcer of left hip, stage 4 |
| L89.300 | Pressure ulcer of unspecified buttock, unstageable |
| L89.301 | Pressure ulcer of unspecified buttock, stage 1 |
| L89.302 | Pressure ulcer of unspecified buttock, stage 2 |
| L89.303 | Pressure ulcer of unspecified buttock, stage 3 |
| L89.304 | Pressure ulcer of unspecified buttock, stage 4 |
| L89.310 | Pressure ulcer of right buttock, unstageable |
| L89.311 | Pressure ulcer of right buttock, stage 1 |
| L89.312 | Pressure ulcer of right buttock, stage 2 |
| L89.313 | Pressure ulcer of right buttock, stage 3 |
| L89.314 | Pressure ulcer of right buttock, stage 4 |
| L89.320 | Pressure ulcer of left buttock, unstageable |
| L89.321 | Pressure ulcer of left buttock, stage 1 |
| L89.322 | Pressure ulcer of left buttock, stage 2 |
| L89.323 | Pressure ulcer of left buttock, stage 3 |

Page 12 of 50

| ICD-10 Code | Description |
|----------------|---|
| L89.324 | Pressure ulcer of left buttock, stage 4 |
| L89.41 | Pressure ulcer of contiguous site of back, buttock and hip, stage 1 |
| L89.42 | Pressure ulcer of contiguous site of back, buttock and hip, stage 2 |
| L89.43 | Pressure ulcer of contiguous site of back, buttock and hip, stage 3 |
| L89.44 | Pressure ulcer of contiguous site of back, buttock and hip, stage 4 |
| L89.45 | Pressure ulcer of contiguous site of back, buttock and hip, unstageable |
| M62.3 | Immobility syndrome (paraplegic) |
| M62.89 | Other specified disorders of muscle |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q67.8 | Other congenital deformities of chest |
| Q68.1 | Congenital deformity of finger(s) and hand |
| Q74.3 | Arthrogryposis multiplex congenita |
| Q78.0 | Osteogenesis imperfecta |

Group 2 Paragraph: For HCPCS codes E0953, E0956-E0957, E0960, E2603, E2604, E2605, E2606, E2613-E2617, E2620, E2621, E2622, E2623:

Group 2 Codes:

| ICD-10 Code | Description |
|----------------|---------------------------------|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tav-Sachs disease |

| ICD-10 Code | Description |
|----------------|---|
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20 | Parkinson's disease |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |

| ICD-10 Code | Description |
|----------------|---|
| G30.9 | Alzheimer's disease, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.09 | Other specified muscular dystrophies |
| G71.2 | Congenital myopathies |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |

| ICD-10 Code | Description |
|----------------|---|
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid |

| ICD-10 Code | Description |
|----------------|--|
| | hemorrhage affecting right non-dominant side |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| 169.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| 169.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| 169.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.243 | Monoplegia of lower limb following other nontraumatic intracranial |

| ICD-10 Code | Description |
|----------------|---|
| | hemorrhage affecting right non-dominant side |
| 169.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| 169.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| 169.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| 169.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| 169.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| 169.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| 169.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| 169.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| 169.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| 169.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| 169.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| 169.843 | Monoplegia of lower limb following other cerebrovascular disease |

| ICD-10 Code | Description |
|----------------|--|
| | affecting right non-dominant side |
| 169.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| 169.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| 169.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| 169.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| 169.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| 169.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| 169.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| 169.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| 169.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| 169.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| 169.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| 169.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| 169.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |

| ICD-10 Code | Description |
|----------------|--|
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q78.0 | Osteogenesis imperfecta |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| \$78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, |

| ICD-10 Code | Description |
|----------------|---|
| | subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level |

| ICD-10 Code | Description |
|----------------|---|
| | unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |

| ICD-10 Code | Description |
|----------------|---|
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| \$88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| \$88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| \$88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| S88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |
| \$88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |

| ICD-10 Code | Description |
|----------------|--|
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| S88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| \$88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| | |

Group 3 Paragraph:

For positioning items (HCPCS codes E0953, E0956, E0957, E0960, E2605, E2606, E2613-E2617, E2620, and E2621) one diagnosis code from either Group 2 or Group 3.

For HCPCS codes E2607, E2608, E2624, E2625, either: 1) One of the following ICD-10 codes:

Group 3 Codes:

| ICD-10 Code | Description |
|----------------|---------------------------------|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |

| ICD-10 Code | Description |
|----------------|---|
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G10 | Huntington's disease |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.23 | Primary lateral sclerosis |
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20 | Parkinson's disease |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |

| ICD-10 Code | Description |
|----------------|--|
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G71.00 | Muscular dystrophy, unspecified |
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.09 | Other specified muscular dystrophies |
| G71.2 | Congenital myopathies |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |

| ICD-10 Code | Description |
|----------------|---|
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| 169.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| 169.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic |

| ICD-10 Code | Description |
|----------------|--|
| | intracranial hemorrhage affecting left non-dominant side |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| 169.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| 169.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| 169.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| 169.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| 169.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| 169.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| 169.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| 169.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| 169.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| 169.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| 169.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| 169.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| 169.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |

| ICD-10 Code | Description |
|--|--|
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |
| Z89.519 | Acquired absence of unspecified leg below knee |
| Z89.611 | Acquired absence of right leg above knee |
| Z89.612 | Acquired absence of left leg above knee |
| Z89.619 | Acquired absence of unspecified leg above knee |
| Z89.621 | Acquired absence of right hip joint |
| Z89.622 | Acquired absence of left hip joint |
| Z89.629 | Acquired absence of unspecified hip joint |
| Group 4 Paragraph: OR 2) A combination of ICD-10 code L89.130, L89.131, L89.132, L89.133, L89.134, L89.140, L89.141, L89.142, L89.143, L89.144, L89.150, L89.151, L89.152, L89.153, L89.154, L89.200, L89.201, L89.202, L89.203, L89.204, L89.210, L89.211, L89.212, L89.213, L89.214, L89.220, L89.221, L89.222, L89.223, L89.224, L89.300, L89.301, L89.302, L89.303, L89.304, L89.310, L89.311, L89.312, L89.313, L89.314, L89.320, L89.321, L89.322, L89.323, L89.324, L89.41, L89.42, L89.43, L89.44 or L89.45, AND one of the following ICD-10 codes: | |

Group 4 Codes:

| ICD-10 Code | Description |
|----------------|---|
| G04.89 | Other myelitis |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |
| G12.23 | Primary lateral sclerosis |

| ICD-10 Code | Description |
|----------------|---|
| G12.24 | Familial motor neuron disease |
| G12.25 | Progressive spinal muscle atrophy |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| 169.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side |
| 169.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| 169.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| 169.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right |

| ICD-10 Code | Description |
|----------------|--|
| | dominant side |
| 169.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| 169.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| 169.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| 169.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side |
| 169.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| 169.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| 169.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| 169.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| 169.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| 169.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side |
| Q78.0 | Osteogenesis imperfecta |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial |

| ICD-10 Code | Description |
|----------------|---|
| | encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial |

| ICD-10 Code | Description |
|----------------|---|
| | encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, |

| ICD-10 Code | Description |
|----------------|--|
| | sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| S88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| \$88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| \$88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |
| \$88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, |

| ICD-10 Code | Description |
|----------------|---|
| | sequela |
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| S88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| \$88.929\$ | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |
| Z89.511 | Acquired absence of right leg below knee |
| Z89.512 | Acquired absence of left leg below knee |

| Description |
|--|
| Acquired absence of unspecified leg below knee |
| Acquired absence of right leg above knee |
| Acquired absence of left leg above knee |
| Acquired absence of unspecified leg above knee |
| Acquired absence of right hip joint |
| Acquired absence of left hip joint |
| Acquired absence of unspecified hip joint |
| |

Group 5 Paragraph: For HCPCS code E2609:

Group 5 Codes:

| ICD-10 Code | Description |
|----------------|---|
| B91 | Sequelae of poliomyelitis |
| E75.00 | GM2 gangliosidosis, unspecified |
| E75.01 | Sandhoff disease |
| E75.02 | Tay-Sachs disease |
| E75.09 | Other GM2 gangliosidosis |
| E75.10 | Unspecified gangliosidosis |
| E75.11 | Mucolipidosis IV |
| E75.19 | Other gangliosidosis |
| E75.23 | Krabbe disease |
| E75.25 | Metachromatic leukodystrophy |
| E75.29 | Other sphingolipidosis |
| E75.4 | Neuronal ceroid lipofuscinosis |
| F84.2 | Rett's syndrome |
| G04.1 | Tropical spastic paraplegia |
| G04.89 | Other myelitis |
| G10 | Huntington's disease |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |
| G11.2 | Late-onset cerebellar ataxia |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.4 | Hereditary spastic paraplegia |
| G11.8 | Other hereditary ataxias |
| G11.9 | Hereditary ataxia, unspecified |

| ICD-10 Code | Description |
|----------------|---|
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.20 | Motor neuron disease, unspecified |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G20 | Parkinson's disease |
| G21.4 | Vascular parkinsonism |
| G24.1 | Genetic torsion dystonia |
| G30.0 | Alzheimer's disease with early onset |
| G30.1 | Alzheimer's disease with late onset |
| G30.8 | Other Alzheimer's disease |
| G30.9 | Alzheimer's disease, unspecified |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G32.81 | Cerebellar ataxia in diseases classified elsewhere |
| G32.89 | Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G36.0 | Neuromyelitis optica [Devic] |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G36.9 | Acute disseminated demyelination, unspecified |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.3 | Acute transverse myelitis in demyelinating disease of central nervous system |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G71.0 | Muscular dystrophy, unspecified |

| ICD-10 Code | Description |
|----------------|--|
| G71.01 | Duchenne or Becker muscular dystrophy |
| G71.02 | Facioscapulohumeral muscular dystrophy |
| G71.09 | Other specified muscular dystrophies |
| G71.2 | Congenital myopathies |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.3 | Athetoid cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| G81.00 | Flaccid hemiplegia affecting unspecified side |
| G81.01 | Flaccid hemiplegia affecting right dominant side |
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.10 | Spastic hemiplegia affecting unspecified side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G81.90 | Hemiplegia, unspecified affecting unspecified side |
| G81.91 | Hemiplegia, unspecified affecting right dominant side |
| G81.92 | Hemiplegia, unspecified affecting left dominant side |
| G81.93 | Hemiplegia, unspecified affecting right nondominant side |
| G81.94 | Hemiplegia, unspecified affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.51 | Quadriplegia, C1-C4 complete |
| G82.52 | Quadriplegia, C1-C4 incomplete |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G83.10 | Monoplegia of lower limb affecting unspecified side |
| G83.11 | Monoplegia of lower limb affecting right dominant side |

| ICD-10 Code | Description |
|----------------|---|
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| G93.89 | Other specified disorders of brain |
| G93.9 | Disorder of brain, unspecified |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G99.2 | Myelopathy in diseases classified elsewhere |
| 169.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side |
| 169.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.149 | Monoplegia of lower limb following nontraumatic intracerebral |

| ICD-10 Code | Description |
|----------------|---|
| | hemorrhage affecting unspecified side |
| 169.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| 169.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side |
| 169.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| 169.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| 169.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side |
| 169.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| 169.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| 169.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| 169.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side |
| 169.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| 169.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| 169.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| 169.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| 169.349 | Monoplegia of lower limb following cerebral infarction affecting |

| ICD-10 Code | Description |
|----------------|--|
| | unspecified side |
| 169.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| 169.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |
| 169.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| 169.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| 169.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side |
| 169.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| 169.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| 169.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| 169.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| 169.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side |
| 169.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| 169.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| 169.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| 169.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| 169.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side |
| 169.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| 169.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side |
| 169.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.949 | Monoplegia of lower limb following unspecified cerebrovascular |

| ICD-10 Code | Description |
|----------------|--|
| | disease affecting unspecified side |
| 169.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| 169.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| 169.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| 169.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| 169.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side |
| L89.130 | Pressure ulcer of right lower back, unstageable |
| L89.131 | Pressure ulcer of right lower back, stage 1 |
| L89.132 | Pressure ulcer of right lower back, stage 2 |
| L89.133 | Pressure ulcer of right lower back, stage 3 |
| L89.134 | Pressure ulcer of right lower back, stage 4 |
| L89.140 | Pressure ulcer of left lower back, unstageable |
| L89.141 | Pressure ulcer of left lower back, stage 1 |
| L89.142 | Pressure ulcer of left lower back, stage 2 |
| L89.143 | Pressure ulcer of left lower back, stage 3 |
| L89.144 | Pressure ulcer of left lower back, stage 4 |
| L89.150 | Pressure ulcer of sacral region, unstageable |
| L89.151 | Pressure ulcer of sacral region, stage 1 |
| L89.152 | Pressure ulcer of sacral region, stage 2 |
| L89.153 | Pressure ulcer of sacral region, stage 3 |
| L89.154 | Pressure ulcer of sacral region, stage 4 |
| L89.200 | Pressure ulcer of unspecified hip, unstageable |
| L89.201 | Pressure ulcer of unspecified hip, stage 1 |
| L89.202 | Pressure ulcer of unspecified hip, stage 2 |
| L89.203 | Pressure ulcer of unspecified hip, stage 3 |
| L89.204 | Pressure ulcer of unspecified hip, stage 4 |
| L89.210 | Pressure ulcer of right hip, unstageable |
| L89.211 | Pressure ulcer of right hip, stage 1 |
| L89.212 | Pressure ulcer of right hip, stage 2 |
| L89.213 | Pressure ulcer of right hip, stage 3 |
| L89.214 | Pressure ulcer of right hip, stage 4 |
| L89.220 | Pressure ulcer of left hip, unstageable |

| ICD-10 Code | Description |
|----------------|---|
| L89.221 | Pressure ulcer of left hip, stage 1 |
| L89.222 | Pressure ulcer of left hip, stage 2 |
| L89.223 | Pressure ulcer of left hip, stage 3 |
| L89.224 | Pressure ulcer of left hip, stage 4 |
| L89.300 | Pressure ulcer of unspecified buttock, unstageable |
| L89.301 | Pressure ulcer of unspecified buttock, stage 1 |
| L89.302 | Pressure ulcer of unspecified buttock, stage 2 |
| L89.303 | Pressure ulcer of unspecified buttock, stage 3 |
| L89.304 | Pressure ulcer of unspecified buttock, stage 4 |
| L89.310 | Pressure ulcer of right buttock, unstageable |
| L89.311 | Pressure ulcer of right buttock, stage 1 |
| L89.312 | Pressure ulcer of right buttock, stage 2 |
| L89.313 | Pressure ulcer of right buttock, stage 3 |
| L89.314 | Pressure ulcer of right buttock, stage 4 |
| L89.320 | Pressure ulcer of left buttock, unstageable |
| L89.321 | Pressure ulcer of left buttock, stage 1 |
| L89.322 | Pressure ulcer of left buttock, stage 2 |
| L89.323 | Pressure ulcer of left buttock, stage 3 |
| L89.324 | Pressure ulcer of left buttock, stage 4 |
| L89.41 | Pressure ulcer of contiguous site of back, buttock and hip, stage 1 |
| L89.42 | Pressure ulcer of contiguous site of back, buttock and hip, stage 2 |
| L89.43 | Pressure ulcer of contiguous site of back, buttock and hip, stage 3 |
| L89.44 | Pressure ulcer of contiguous site of back, buttock and hip, stage 4 |
| L89.45 | Pressure ulcer of contiguous site of back, buttock and hip, unstageable |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |

| ICD-10 Code | Description |
|----------------|---|
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q78.0 | Osteogenesis imperfecta |
| S78.011A | Complete traumatic amputation at right hip joint, initial encounter |
| S78.011D | Complete traumatic amputation at right hip joint, subsequent encounter |
| S78.011S | Complete traumatic amputation at right hip joint, sequela |
| S78.012A | Complete traumatic amputation at left hip joint, initial encounter |
| S78.012D | Complete traumatic amputation at left hip joint, subsequent encounter |
| S78.012S | Complete traumatic amputation at left hip joint, sequela |
| S78.019A | Complete traumatic amputation at unspecified hip joint, initial encounter |
| S78.019D | Complete traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela |
| S78.021A | Partial traumatic amputation at right hip joint, initial encounter |
| S78.021D | Partial traumatic amputation at right hip joint, subsequent encounter |
| S78.021S | Partial traumatic amputation at right hip joint, sequela |
| S78.022A | Partial traumatic amputation at left hip joint, initial encounter |
| S78.022D | Partial traumatic amputation at left hip joint, subsequent encounter |
| S78.022S | Partial traumatic amputation at left hip joint, sequela |
| S78.029A | Partial traumatic amputation at unspecified hip joint, initial encounter |
| S78.029D | Partial traumatic amputation at unspecified hip joint, subsequent encounter |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela |
| S78.111A | Complete traumatic amputation at level between right hip and knee, initial encounter |
| S78.111D | Complete traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela |
| S78.112A | Complete traumatic amputation at level between left hip and knee, initial encounter |
| S78.112D | Complete traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.112S | Complete traumatic amputation at level between left hip and knee, |

Page 44 of 50

| ICD-10 Code | Description |
|----------------|--|
| | sequela |
| S78.119A | Complete traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.119D | Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela |
| S78.121A | Partial traumatic amputation at level between right hip and knee, initial encounter |
| S78.121D | Partial traumatic amputation at level between right hip and knee, subsequent encounter |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela |
| S78.122A | Partial traumatic amputation at level between left hip and knee, initial encounter |
| S78.122D | Partial traumatic amputation at level between left hip and knee, subsequent encounter |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela |
| S78.129A | Partial traumatic amputation at level between unspecified hip and knee, initial encounter |
| S78.129D | Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela |
| S78.911A | Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.911D | Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.912A | Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| S78.912D | Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.919A | Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.919D | Complete traumatic amputation of unspecified hip and thigh, level |

| ICD-10 Code | Description |
|----------------|--|
| | unspecified, subsequent encounter |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S78.921A | Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter |
| S78.921D | Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela |
| S78.922A | Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter |
| \$78.922D | Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela |
| S78.929A | Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter |
| S78.929D | Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela |
| S88.011A | Complete traumatic amputation at knee level, right lower leg, initial encounter |
| S88.011D | Complete traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela |
| S88.012A | Complete traumatic amputation at knee level, left lower leg, initial encounter |
| \$88.012D | Complete traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela |
| S88.019A | Complete traumatic amputation at knee level, unspecified lower leg, initial encounter |
| S88.019D | Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| \$88.019\$ | Complete traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.021A | Partial traumatic amputation at knee level, right lower leg, initial encounter |

| ICD-10 Code | Description |
|----------------|---|
| S88.021D | Partial traumatic amputation at knee level, right lower leg, subsequent encounter |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela |
| S88.022A | Partial traumatic amputation at knee level, left lower leg, initial encounter |
| \$88.022D | Partial traumatic amputation at knee level, left lower leg, subsequent encounter |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela |
| \$88.029A | Partial traumatic amputation at knee level, unspecified lower leg, initial encounter |
| \$88.029D | Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela |
| S88.911A | Complete traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.911D | Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela |
| S88.912A | Complete traumatic amputation of left lower leg, level unspecified, initial encounter |
| S88.912D | Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela |
| S88.919A | Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.919D | Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela |
| S88.921A | Partial traumatic amputation of right lower leg, level unspecified, initial encounter |
| S88.921D | Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela |
| \$88.922A | Partial traumatic amputation of left lower leg, level unspecified, initial encounter |

| ICD-10 Code | Description |
|----------------|--|
| S88.922D | Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela |
| S88.929A | Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter |
| S88.929D | Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela |

References

Centers for Medicare and Medicaid Services, Medicare Coverage Database, National Coverage Documents; October 2015.

CGS Administrators, LLC. Jurisdiction B DME MAC, Wheelchair Seating. Local Coverage Determination No. L33312; revised date October 1, 2015. Accessed December 21, 2017. Reviewed December 14, 2018.

Noridian Healthcare Solutions, LLC, Wheelchair Seating. Local Coverage Determination No. L33312. Durable Medical Equipment Medicare Administrative Carrier Jurisdiction A; revised June 11, 2011. Reviewed December 14, 2018.

Applicable URAC Standard

| Core 8 | Staff operational tools and support |
|--------|-------------------------------------|
|--------|-------------------------------------|

Change/Authorization History

| Revision Number | Date | Description of Change | Prepared / Reviewed by | Approved by | Review Date: |
|--------------------|----------|---|------------------------|-------------|-----------------|
| А | 11-20-06 | Initial Release | Rosanne Brugnoni | Ken Fasse | n/a |
| 01 | 01-2008 | Deleted HCPC code E2618 and the coverage criteria for that HCPC code. Added muscular dystrophy (359.0, 359.1) to the list of covered diagnoses for prefabricated skin | Rosanne Brugnoni | Ken Fasse | n/a |

| | | protection and combination skin protection and positioning seat cushions. Added K0108. | | | |
|----|--------------|---|-------------|----------------|--------------|
| 02 | 12-2008 | Added HCPC codes E2231, K0108 and K0669 | Susan Glomb | Ken Fasse | n/a |
| 03 | | Annual Review – no changes | Susan Glomb | Ken Fasse | Dec.2008 |
| 04 | Jan. 2009 | Added E2231 Revised K0669 | Susan Glomb | Ken Fasse | |
| 05 | July 2009 | Added ICD-9 codes and added KX modifier requirements to policy | Susan Glomb | Ken Fasse | |
| 06 | Dec. 1, 2009 | Added: Hemiplegia, Huntington's chorea, idiopathic torsion dystonia, and cerebral palsy to the list of covered conditions for skin protection seat cushions. Added: above knee amputations, osteogenesis imperfecta, and tansverse myelitis to the list of covered conditions for positioning seat and back cushions and positioning accessories. Added: corresponding ICD-9 codes. Moved: 359.0, 359.1 from second group of codes to the first group of codes for E2607,E2608, E2624,E2625. Added use of modifiers to be used in the event of implementation of modifiers. | Susan Glomb | Ken Fasse | |
| 07 | 12-22-09 | Annual Review/ no additional changes | Susan Glomb | Ken Fasse | Dec.2009 |
| 08 | 12-30-10 | Annual Review/ no changes | Susan Glomb | Ken Fasse | Dec.2010 |
| 09 | 1-20-11 | Revised: Least costly alternative language for general use cushions used with power wheelchairs with sling/solid seats/backs, for skin protection, positioning and combination seat cushions, for positioning back cushions, and for custom fabricated cushions. Added: E2622-E2625. Deleted: E2622-E2625 Replaced: E2622 – E2625 with E2622-E2625 | Susan Glomb | Ken Fasse | Jan.2011 |
| 10 | 07-20-11 | Added Important Note to all Medical Policies | Susan Glomb | Dr. B. Almasri | |
| 11 | 11-22-11 | Annual Review. Added References to Policy | Susan Glomb | Dr. B. Almasri | Nov. 2011 |
| 12 | 12-06-12 | Annual review. No changes. | Susan Glomb | Dr. B. Almasri | Dec. 2012 |

| 13 | 12-30-13 | Annual review. No changes. | Susan Glomb | Dr. B. Almasri | |
|----|----------|---|--------------|----------------|------------------|
| 14 | 12-3-14 | Annual Review. Added: Items in this policy may be subject to the Affordable Care Act (ACA) 6407 requirements | Susan Glomb | Dr. B. Almasri | |
| 15 | 12-17-15 | Annual Review. Policy updated with Medicare criteria and ICD-10 codes. References updated. | Susan Glomb | Dr. B. Almasri | 12-17-15 |
| 16 | 12-08-16 | Annual Review. No Changes. | Lisa Wojno | Dr. B. Almasri | December 2016 |
| 17 | 04-06-17 | Policy reviewed per CMS memo. No changes required at this time. | Susan Glomb | Dr. C. Lerchin | |
| 18 | 12-21-17 | Annual review. Added: New ICD-10 codes G12.23, G12.24, G12.25 to Group 2 and Group 4. Added: Z codes for acquired absence of limb to Group 3 and Group 4 Diagnosis Codes. Added coverage criteria for E2607, E2608, E2624, E2625. | Carol Dimech | Dr. C. Lerchin | December 2017 |
| 19 | 12-14-18 | Annual review. Updated Medicare references. Added E0953 to positioning items and to group 2 and group 3 codes. Removed G71.0 and added G71.00, G71.01, G71.02 and G71.09. Wheelchair seat and back cushion codes all-inclusive. | Carol Dimech | Dr. C. Lerchin | December 2018 |