

# Medical Policy



## Continuous Passive Motion (CPM) Devices

### ▼ Description

A continuous passive motion (CPM) device moves the affected joint continuously without an individual's assistance. The CPM device is used as an adjunct to conventional physical therapy, and is an established therapy in the early postoperative phase of rehabilitation for members following knee injury or surgery, manipulation, ACL/PCL reconstruction, hip replacement, following injury or surgical repair of the articulating joints in the upper extremities.

An electrical power unit is used to set the variable range of motion and speed. The speed and range of motion can be adjusted depending on joint stability, patient comfort level, and other factors assessed intraoperatively. These settings are made by a physical therapist or other health professional familiar with these devices. If needed, an emergency stop switch immediately halts the device.

### ▼ Policy

CPM devices are considered reasonable and necessary for individuals during the early phase of rehabilitation following a total knee replacement, manipulation, ACL/PCL reconstruction, hip replacement, following injury or surgical repair of the articulating joints in the upper extremities.

### ▼ Policy Guidelines

Coverage Criteria:

1. Must be ordered by the Member's treating physician.
2. CPM usage is considered reasonable and necessary during the three week period following surgery and which the device is used in the Member's home.

Limitations:

1. CPM usage is considered not reasonable and necessary for member's not meeting the policy outlined above.

2. Synthetic sheepskin pad (E0188) and lambs wool sheepskin pad, any size (E0189) are considered included in the reimbursement for rental of the CPM device and not separately payable.

#### ▼ HCPCS Level II Codes and Description

E0935	Passive motion exercise device for use on knee only
E0936	Continuous passive motion exercise device for use other than the knee
E0188	Synthetic sheepskin pad
E0189	Lambs wool sheepskin pad, any size

#### ▼ Documentation Requirements

1. When billing for a CPM device:
  - a. The “from” date should represent the date the CPM device began in the Member’s home
  - b. Providers should bill the date the use of the device ends as the “to” date
  - c. Coverage for CPM device is generally limited to that portion of the 21 day following surgery during which the device is used in the Member’s home (or per state guidelines).
  - d. The units of service should reflect the actual number of calendar days the CPM device was used by the Member in the home.
2. When billing for a CPM device the claim must include all the following information:
  - a. The type of surgery performed (such as “total knee replacement”) or provide the CPT code for the surgical procedure (e.g., 27447, 27486, or 27487)
  - b. Date of the surgery
  - c. Date the device was initiated
  - d. Date of discharge from the hospital or nursing home (if the Member is discharged from the hospital to a skilled nursing facility or rehabilitation center before going home, use the discharge date when the Member went home.)
3. Claims submitted without required information will be rejected.

#### ▼ Important Note:

Northwood’s Medical Policies are developed to assist Northwood in administering plan benefits and determining whether a particular DMEPOS product or service is reasonable and necessary. Equipment that is used primarily and customarily for a non-medical purpose is not considered durable medical equipment.

Coverage determinations are made on a case-by-case basis and are subject to all of the terms, conditions, limitations, and exclusions of the member's contract including medical necessity requirements.

The conclusion that a DMEPOS product or service is reasonable and necessary does not constitute coverage. The member's contract defines which DMEPOS product or service is covered, excluded or limited. The policies provide for clearly written, reasonable and current criteria that have been approved by Northwood's Medical Director.

The clinical criteria and medical policies provide guidelines for determining the medical necessity for specific DMEPOS products or services. In all cases, final benefit determinations are based on the applicable contract language. To the extent there are any conflicts between medical policy guidelines and applicable contract language, the contract language prevails. Medical policy is not intended to override the policy that defines the member's benefits, nor is it intended to dictate to providers how to direct care. Northwood Medical policies shall not be interpreted to limit the benefits afforded to Medicare or Medicaid members by law and regulation and Northwood will use the applicable state requirements to determine required quantity limit guidelines.

Northwood's policies do not constitute medical advice. Northwood does not provide or recommend treatment to members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

## ▼ References

1. Alfredson H, Lorentzon R. Superior results with continuous passive motion compared to active motion after periosteal transplantation: A retrospective study of human patella cartilage defect treatment. *Knee Surg Sports Traumatol Arthrosc.* 1999;7(4):232-38.
2. Brosseau L, Milne S, Wells G, Tugwell P, Robinson V, Casimiro L, et al. Efficacy of continuous passive motion following total knee arthroplasty: a metaanalysis. *J Rheumatol.* 2004 Nov;31(11):2251-64.
3. Cosgarea A, DeHaven K, Lovelock J. The surgical treatment of arthrofibrosis of the knee. *Am J Sports Med.* 1994;22(2):184-191.
4. DeLee: DeLee and Drez's Orthopaedic Sports Medicine, 2<sup>nd</sup> ed. Saunders, an imprint of Elsevier; 2009.
5. Denis M, Moffet H, Caron F, Ouellet D, Paquet J, Nolet L. Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: a randomized clinical trial. *Phys Ther.* 2006 Feb;86(2):174-85.

6. ECRI Institute. Hotline Response [database online]. Plymouth Meeting (PA): ECRI Institute. Continuous passive motion devices following orthopedic surgery. 2009 Apr 2. Available at URL address: <http://www.ecri.org>
7. Engstrom B, Sperber A, Wredmark T. Continuous passive motion in rehabilitation after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 1995;3(1):18-20.
8. Gates H, Sullivan F, Urbaniak J. Anterior capsulotomy and continuous passive motion in the treatment of post traumatic flexion contracture of the elbow. *Bone Joint Surg Am.* 1992 Sep;74(8):1229-39.
9. Harvey LA, Brosseau L, Herbert RD. Continuous passive motion following total knee arthroplasty in people with arthritis. *Cochrane Database Syst Rev.* 2010 Mar 17;3:CD004260
10. Handoll HHG, Madhok R, Howe TE. Rehabilitation for distal radial fractures in adults. *Cochrane Database of Systematic Reviews* 2003, Issue 3.
11. Jerosch J, Aldawoudy AM. Arthroscopic treatment of patients with moderate arthrofibrosis after total knee replacement. *Knee Surg Sports Traumatol Arthrosc.* 2008 Jul;16(7):720-2; author reply 723.
12. Lastayo PC, Wright T, Jaffe R, Hartzel J. Continuous passive motion after repair of the rotator cuff. A prospective outcome study. *J Bone Joint Surg Am.* 1998 Jul;80(7):1002-11.
13. Lenssen TA, van Steyn MJ, Crijns YH, Waltje EM, Roox GM, Geesink RJ, et al. Effectiveness of prolonged use of continuous passive motion (CPM), as an adjunct to physiotherapy, after total knee arthroplasty. *BMC Musculoskelet Disord.* 2008 Apr 29;9:60.

**Applicable URAC Standard**

Core 8	Staff operational tools and support
--------	-------------------------------------

**Change/Authorization History**

Revision Number	Date	Description of Change	Prepared / Reviewed by	Approved by	Review Date:
A	11-20-06	Initial Release	Rosanne Brugnoni	Ken Fasse	n/a

01		Annual Review – no changes	Susan Glomb	Ken Fasse	12-2008
02	12-22-09	Annual Review- No changes	Susan Glomb	Ken Fasse	Dec.2009
03	01-25-10	Added: use of CPM for other than the knee would be considered not medically necessary.	Susan Glomb	Ken Fasse	
04	11-19-10	Annual Review – No changes	Susan Glomb	Ken Fasse	Nov.2010
05	02-14-11	Updated the policy to current version	Susan Glomb	Ken Fasse	
05	07-20-11	Added Important Note to all Medical Policies, References and updated to reflect current policies.	Susan Glomb	Dr. B. Almasri	
06	12-13-11	Annual Review. Added References to Policy	Susan Glomb	Dr. Almasri	Dec. 2011
07	11-28-12	Annual review – no changes.	Susan Glomb	Dr. B. Almasri	Nov. 2012
08	12-30-13	Annual review	Susan Glomb	Dr. B. Almasri	
09	11-25-14	Annual Review.	Susan Glomb	Dr. B. Almasri	
10	11-25-15	Annual Review. No Changes.	Lisa Wojno	Dr. B. Almasri	November 2015
11	11-22-16	Annual Review. No Changes.	Lisa Wojno	Dr. B. Almasri	November 2016
12	11-14-17	Annual review. No changes.	Carol Dimech	Dr. C. Lerchin	November 2017
13	11-15-18	Annual Review. No Changes.	Lisa Wojno	Dr. C. Lerchin	November 2018