

Medical Policy



Continuous Glucose Monitoring System

WellSense Health Plan Members (All Products – MA MassHealth ACO, MCO and MA SCO Products): Requests **only** need to meet Appendix A criteria. See Appendix A for policy guidelines – [CLICK HERE](#).

Description

A Continuous Glucose Monitoring System (CGMS) is a minimally invasive or noninvasive device that measures glucose levels in the interstitial fluid surrounding skin cells and provides continuous information about glucose fluctuations that is not otherwise captured by intermittent testing. The CGMS is considered medically necessary for the management of difficult to control insulin-treated diabetes mellitus.

A non-adjunctive CGMS can be used to make treatment decisions *without* the need for a stand-alone blood glucose monitor to confirm testing results.

An adjunctive CGMS requires the user to verify their glucose levels or trends displayed on a CGMS *with* a blood glucose monitor prior to making treatment decisions.

The CGMS must include a durable component (a component that CMS determines can withstand repeated use and has an expected lifetime of at least 3 years) that is capable of displaying the trending of the continuous glucose measurements.

Policy

Use of a CGMS is considered reasonable and necessary in diabetics meeting the criteria listed below.

Policy Guidelines

Use of a Continuous Glucose Monitoring System (CGMS) is reasonable and necessary in **diabetics** who:

- require the use of an insulin pump or multiple daily insulin injections; **AND**
- have recurrent episodes of severe hypoglycemia (blood glucose <50mg/dl) despite appropriate modifications in insulin regimen, **OR**

Medical Policy



Continuous Glucose Monitoring System

- hypoglycemic unawareness, OR
- A1C greater than or equal to 7.0%, OR
- postprandial hyperglycemia, OR
- recurrent diabetic ketoacidosis, OR
- are pregnant and have poorly controlled diabetes requiring insulin, including unexplained hypoglycemic episodes, hypoglycemic unawareness, postprandial hyperglycemia or recurrent diabetic ketoacidosis.

All other uses of a CGMS are considered experimental and investigational. A CGMS is not considered reasonable and necessary when the applicable criteria outlined are not met.

Limitations

Non-invasive continuous glucose monitors (**S1030, S1031**) and related supplies are considered **experimental/investigational**, and therefore not reasonable and necessary. Despite the fact that these devices may have received FDA approval, there is a lack of long-term studies demonstrating that the use of these devices is associated with an improvement in final health outcomes, i.e., improved diabetic control based either on decreasing hemoglobin A1c values and/or decreasing incidence of hypoglycemia.

Artificial Pancreas (Closed loop glucose monitoring system)

Use of an artificial pancreas system, including but not limited to closed-loop monitoring devices with low-glucose suspend (LGS) features, are considered **investigational**.

Current studies in medical literature do not provide conclusive evidence that closed-loop systems lead to improved health outcomes in people with diabetes. There is insufficient evidence that improved health outcomes, if any, are durable over time. Further controlled studies with larger numbers of patients and longer periods of closed-loop insulin management are needed to assess the safety and efficacy of these systems.

Medical Policy



Continuous Glucose Monitoring System

HCPCS Level II Codes and Description

A4238	Supply allowance for adjunctive, non-implanted continuous glucose monitor (CGM), includes all supplies and accessories, 1 month supply = 1 unit of service
A4239	Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (CGM), includes all supplies and accessories, 1 month supply = 1 unit of service.
A9276	Sensor; invasive (e.g., subcutaneous), disposable, for use with interstitial continuous glucose monitoring system, 1 unit = 1 day supply
A9277	Transmitter, external for use with interstitial continuous glucose monitoring system
A9278	Receiver (monitor); external for use with interstitial continuous glucose monitoring system
E2102	Adjunctive, non-implanted continuous glucose monitor or receiver
E2103	Non-adjunctive, non-implanted continuous glucose monitor or receiver
S1030	Continuous non-invasive glucose monitoring device, purchase
S1031	Continuous non-invasive glucose monitoring device, rental, including sensor, sensor placement, and download to monitor.
S1034	Artificial pancreas device system (e.g., low glucose suspend [LGS] feature) including continuous glucose monitor, blood glucose device, insulin pump and computer algorithm that communicates with all of the devices
S1035	Sensor; invasive (e.g., subcutaneous), disposable, for use with artificial pancreas device system
S1036	Transmitter; external, for use with artificial pancreas device system
S1037	Receiver (monitor); external, for use with artificial pancreas device system

Medical Policy



Continuous Glucose Monitoring System

Important Note:

Northwood's Medical Policies are developed to assist Northwood in administering plan benefits and determining whether a particular DMEPOS product or service is reasonable and necessary. Equipment that is used primarily and customarily for a non-medical purpose is not considered durable medical equipment.

Coverage determinations are made on a case-by-case basis and are subject to all of the terms, conditions, limitations, and exclusions of the member's contract including medical necessity requirements.

The conclusion that a DMEPOS product or service is reasonable and necessary does not constitute coverage. The member's contract defines which DMEPOS product or service is covered, excluded or limited. The policies provide for clearly written, reasonable and current criteria that have been approved by Northwood's Medical Director.

The clinical criteria and medical policies provide guidelines for determining the medical necessity for specific DMEPOS products or services. In all cases, final benefit determinations are based on the applicable contract language. To the extent there are any conflicts between medical policy guidelines and applicable contract language, the contract language prevails.

Medical policy is not intended to override the policy that defines the member's benefits, nor is it intended to dictate to providers how to direct care. Northwood Medical policies shall not be interpreted to limit the benefits afforded to Medicare or Medicaid members by law and regulation and Northwood will use the applicable state requirements to determine required quantity limit guidelines.

Northwood's policies do not constitute medical advice. Northwood does not provide or recommend treatment to members. Members should consult with their treating practitioner in connection with diagnosis and treatment decisions.

Northwood follows all CMS National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), as applicable.

References:

Centers for Medicaid and Medicare Services, LCD (L33822) Glucose Monitors.
Accessed/reviewed 12-10-2025.

Medical Policy



Continuous Glucose Monitoring System

Health Net National Medical Policy: Continuous Glucose Monitoring Devices.

<https://www.healthnet.com/static/general/unprotected/pdfs/national/policies/ContinuousGlucoseMonitoringDevices.pdf>

Cigna: Home Blood Glucose Monitors

http://www.cigna.com/customer_care/healthcare_professional/coverage_positions/medical/mm_0106_coveragepositioncriteria_blood_glucose_monitors.pdf Last Accessed/reviewed 12/9/24.

Aetna: Diabetes Tests, Programs and Supplies

http://www.aetna.com/cpb/medical/data/1_99/0070.html#dummyLink1 Last accessed December 9, 2024.

Chase HP, Roberts MD, Wightman C, Klingensmith G, Garg SK, Van Wyhe M, et al. Use of the GlucoWatch biographer in children with type 1 diabetes. Pediatrics. 2003 Apr;111(4 Pt 1):790-4.

Chase HP, Beck R, Tamborlane W, Buckingham B, Mauras N, Tsalikian E, et al. the diabetes research in children (DirectNet) study group. A randomized multicenter trial comparing the GlucoWatch Biographer with standard glucose monitoring in children with type 1 diabetes. Diabetes Care. 2005 May;28(5):1101-6.

Hayes, Inc. Continuous glucose monitoring systems. Hayes Medical Technology Directory. May 22, 2007.

Newman SP, Cooke D, Casbard A, Walker S, Meredith S, Nunn A, et al. A randomized controlled trial to compare minimally invasive glucose monitoring devices with conventional monitoring in the management of insulin-treated diabetes mellitus (MITRE). Health Technol Assess 2009;13(28).

WellSense Health Plan: Continuous Glucose Monitoring Systems, Artificial Pancreas Device Systems, and Insulin Delivery Devices Medical Policy, Policy Number: OCA 3.966, Version Number: 36, Version Effective Date: 05/01/25.

SPECIAL COVERAGE INFORMATION PER PLAN:

SHP Badger Care	Follow the Northwood Medicaid CGMS policy guidelines as noted for codes A9276, A9277, A9278.
------------------------	---

Medical Policy



Continuous Glucose Monitoring System

Appendix A (Page 6-34/35 of 39)



Medical Policy

Continuous Glucose Monitoring Systems, Artificial Pancreas Device Systems, and Insulin Delivery Devices

Policy Number: OCA 3.966

Version Number: 36

Version Effective Date: 05/01/25

Impacted Products

- ☒ **All Products**
- ☒ NH Clarity plans
- ☒ NH Medicaid
- ☒ NH Medicare Advantage
- ☒ **MA MassHealth ACO**
- ☒ **MA MassHealth MCO**
- ☒ MA Clarity plans/Employer Choice Direct
- ☒ MA Senior Care Options

Note: Disclaimer and audit information is located at the end of this document.

Policy Summary

The Plan considers continuous glucose monitoring systems (CGMS), combined CGMS with external insulin pumps using continuous subcutaneous insulin infusion (CSII), and artificial pancreas device

Medical Policy



Continuous Glucose Monitoring System

system (sensor-augmented pump therapy, closed-loop glucose management system, automated insulin delivery system/AIDS) provided in the outpatient setting to be medically necessary when guidelines are met in the Clinical Criteria section. Plan prior authorization is required.

The Plan's Pharmacy Department currently manages requests for devices used for CGM or insulin delivery (e.g., Omnipod DASH, Dexcom G6/G7, FreeStyle Libre/Libre 2, V-Go) if it is covered through the member's pharmacy benefit (rather than the member's medical benefit) for all Plan products except the NH Clarity product. A provider may submit a prescription for the requested device. Pharmacy prior authorization may be required when these devices are requested for a MassHealth, Clarity plans/Employer Choice Direct, or NH Medicaid member.

When DME and associated supplies and accessories are covered through the member's DME benefit, the request should be submitted directly to Northwood for authorization from DME providers, pharmacy providers, home infusion providers, or home care providers (including DME, supplies, and accessories related to CGMS or external insulin infusion pumps). Prior authorization is NOT required by the Plan or Northwood for the use of implantable insulin pumps (IIP). An additional Plan prior authorization is NOT required for CGMS and/or insulin delivery systems provided in an inpatient setting when the inpatient admission has been authorized by the Plan.

Clinical Criteria

Criteria must be met in EITHER item 1 (medical necessity criteria for stand-alone CGMS, combined CGMS with external insulin pump using CSII, or artificial pancreas device system in the outpatient setting) or item 2 (requests that require Medical Director review and approval) for services managed through the member's medical benefit:

1. Applicable criteria must be met in item a, item b, or item c:

a. Stand-Alone CGMS:

ALL criteria must be met in items (1) through (7) for members 2 years of age or older on the date of service with type 1 or type 2 diabetes, including but not limited to pregnant members:

(1) Member requires the use of an insulin pump or at least 3 daily insulin injections for glucose control (and not receiving insulin solely related to member's physical disability, visual impairment, and/or cognitive impairment); AND

(2) CGM is recommended by the endocrinologist or member's primary care provider; AND

Medical Policy



Continuous Glucose Monitoring System

- (3) Member or caregiver is consistently compliant with self-monitoring of blood glucose at least 3 times per day (finger sticks, alternative site testing) or the provider submits documentation to the Plan confirming that the member is not compliant due to physical disability, visual impairment, and/or cognitive impairment; AND
- (4) Endocrinologist or primary care provider managing the member's diabetes confirms the member or caregiver is capable of using the CGM system on a daily basis; AND
- (5) CGMS/CGM device will be used as an adjunct to self-monitoring of blood glucose (finger stick testing or alternative site testing) or an enhanced, FDA-approved CGM device will be used to make treatment decisions, including insulin dosage, without regular confirmatory self-monitoring of blood glucose; AND
- (6) Member is experiencing or remains at risk for ANY condition in items (a) through (f):
- (a) A1C greater than or equal to 6.5%; OR
 - (b) Hypoglycemic unawareness; OR
 - (c) Hyperglycemia or hyperglycemic crisis, a random plasma glucose ≥ 200 mg/dL (≥ 11.1 mmol/L). Random is any time of the day without regard to time since previous meal; OR
 - (d) History of emergency room visit or hospitalization related to ketoacidosis or hypoglycemia; OR
 - (e) Recurrent episodes of severe hypoglycemia (i.e., blood glucose less than 50mg/dl) despite appropriate modifications in medication regimen; OR
 - (f) Another non-diabetes-based condition causing disorder of glucose metabolism or improper endogenous insulin secretion; AND
- (7) If an implantable continuous glucose monitor/sensor (I-CGM) is prescribed as an alternative to a standard continuous glucose monitor, the I-CGM is FDA approved and will be used according to its FDA-approved clearance, including intended use for member's age and medical condition (e.g., Eversense E3 CGM System is approved for individuals age 18 or older for up to 180 days); OR

b. Combined CGMS with External Insulin Pump Using CSII:

ALL criteria must be met in items (1) through (3) for members 2 years of age or older on the date of service with type 1 or type 2 diabetes, including but not limited to pregnant members:

- (1) Criteria are met above in item 1a for continuous glucose monitoring; AND

Medical Policy



Continuous Glucose Monitoring System

(2) Requested device is prescribed according to its FDA-approved clearance and guideline information for a combined CGMS with an external insulin pump with subcutaneous insulin, including intended use for the member's age and medical condition; AND

(3) Member does NOT have existing devices that are fully functional and duplicate the same purpose served by a combined CGMS with wireless communication capability to an external insulin pump; OR

c. Artificial Pancreas Device System/Sensor-Augmented Pump Therapy/Closed-Loop Glucose Management System/Automated Insulin Delivery System:

ALL criteria must be met in items (1) through (8):

(1) Member has type 1 diabetes and is NOT pregnant; AND

(2) Member has required the use of an insulin pump for glucose control (and not receiving insulin solely related to member's physical disability, visual impairment, and/or cognitive impairment); AND

(3) Artificial pancreas is recommended by the endocrinologist or member's primary care provider; AND

(4) Member or caregiver has been consistently compliant with self-monitoring of blood glucose at least 3 times per day (finger sticks, alternative site testing) or the provider submits documentation to the Plan confirming that the member is not compliant due to physical disability, visual impairment, and/or cognitive impairment; AND

(5) Endocrinologist or primary care provider managing the member's diabetes confirms the member or caregiver is capable of following system requirements on a daily basis; AND

(6) Member is experiencing or remains at risk for ANY condition in items (a) through (f):

(a) A1C greater than or equal to 6.5%; OR

(b) Hypoglycemic unawareness; OR

(c) Hyperglycemia or hyperglycemic crisis, a random plasma glucose ≥ 200 mg/dL (≥ 11.1 mmol/L). Random is any time of the day without regard to time since previous meal; OR

(d) History of emergency room visit or hospitalization related to ketoacidosis or hypoglycemia; OR

(e) Recurrent episodes of severe hypoglycemia (i.e., blood glucose less than 50mg/dl) despite appropriate modifications in medication regimen; OR

Medical Policy



Continuous Glucose Monitoring System

(f) Another non-diabetes-based condition causing disorder of glucose metabolism or improper endogenous insulin secretion (ie., pregnancy); AND

(7) Requested artificial pancreas will be used to make treatment decisions, including insulin dosage, and follow FDA-approved clearance and guidelines, including member's age and medical condition (with Medical Director review required for members younger than age 2 on the date of service); AND

(8) Member does NOT have existing devices that are fully functional and duplicate the same purpose that is served by an artificial pancreas device system/sensor-augmented pump therapy; OR

2. ANY request listed in items (a) through (d) requires Plan Medical Director review and approval:

a. Indications Considered Experimental and Investigational or NOT Medically Necessary:

When applicable medical necessity criteria are NOT met for the requested device, the Plan considers the service either experimental and investigational or NOT reasonable and necessary. Individual consideration will be conducted by the Plan Medical Director based on the clinical documentation submitted by the treating provider and will take into account the following factors: member's age and diagnosis; comorbidities and relevant past medical/surgical/behavioral health/pharmacotherapy history (e.g., history of severe hypoglycemia, limited life expectancy, microvascular or macrovascular complications, long-standing diabetes in whom the A1C goal is difficult to achieve despite diabetes self-management and medical treatment); duration of diabetes; diagnostic (including laboratory test) results; glycemic control targets; complications; progression of the member's clinical condition, illness, or injury; progress of treatment; psychosocial circumstances; home environment and other environmental factors (if applicable); available treatment options; member motivation and adherence; and verification the requested device/system is being prescribed and will be utilized according to its FDA-approved clearance and guideline information, including intended use for the member's age and medical condition.

b. Noncompliance or Ineffective Use of CGMS:

Requests for ongoing use of a CGMS (or combined CGMS with external insulin pump using CSII) when the member (or family member or caregiver on behalf of the member) is consistently unable to manage the device properly, does not routinely use the device according to product guidelines, and/or the device consistently fails to resolve hypoglycemia, improve or maintain A1C, and/or prevent hospitalization related to glucose management for the member. Applicable clinical information must be submitted to the Plan by the treating provider and include the member's medical history, documentation of diabetes education received by the member (or family member or caregiver on behalf

Medical Policy



Continuous Glucose Monitoring System

of the member), treatment to date, glucose reading logs, pertinent laboratory testing, individualized treatment plan, and documentation supporting that the member's plan of care is compliant with the latest standards of medical care in diabetes established by the American Diabetes Association to determine if it is medically necessary to continue the use of CGMS or discontinue the device with the implementation of an alternate treatment plan.

c. Replacement System Expected to Provide Clinically Significant Improvements:

When the replacement system is expected to provide clinically significant improvements for the member's glucose management, the following medical record documentation must be submitted by the treating provider: description of the member's medical condition, how the product-specific features of the device will be clinically useful to the member's medical management beyond those features included in the member's current CGMS, and documentations supporting that the member's plan of care is compliant with the latest standards of medical care in diabetes established by the American Diabetes Association.

d. Upgrade for New Technology:

The member's treating physician must submit documentation to the Plan demonstrating how the upgrade is expected to significantly improve the member's A1C target level and that this improvement cannot be achieved with the member's current CGMS.

Limitations and Exclusions

1. The authorization period is six (6) months for the purchase of the receiver and transmitter for a CGMS approved by the Plan in the outpatient setting. A lifetime authorization will be granted for sensors and supplies for the CGM device currently used by the member if the device is approved by the Plan. When the device, sensor, and/or related supplies are authorized by Northwood rather than the Plan, the authorization period and guidelines for purchase are established by Northwood.

2. The Plan considers the use of a fully implantable continuous glucose monitoring system/sensor (I-CGMS) (e.g., Eversense E3 CGM System) NOT medically necessary for short-term use (72 hours to 1 week) for diagnostic purposes and may not be used for members age 17 or younger due to limited evidence documenting the clinical utility and clinical validity of the device. Members with I-CGMS must follow the appropriate safety guidelines before undergoing an MRI procedure.

3. The Plan provides no additional reimbursement for wireless glucose monitoring, either as an attached transmission device or a component of a Plan-authorized artificial pancreas device system or CGMS.

Medical Policy



Continuous Glucose Monitoring System

4. The Plan considers the use of a continuous noninvasive glucose monitoring device (including the purchase or rental of this device) to NOT be reasonable and necessary.

5. The Plan considers the replacement of a member's currently functional CGMS or functional combined CGMS with external insulin pump for the sole purpose of receiving an upgraded system or the most recent technology to NOT be medically necessary; this includes upgrades for enhanced information/wireless communication technology for uploading, monitoring, and/or sharing blood glucose levels as a convenience feature.

Variations

The Plan uses guidance from the Centers for Medicare & Medicaid Services (CMS) for medical necessity and coverage determinations for the Plan's MA Senior Care Options (SCO) members and New Hampshire Medicare Advantage members, including but not limited to national coverage determinations (NCDs), local coverage determinations (LCDs), local coverage articles (LCAs), and documentation included in Medicare manuals. At the time of the Plan's most recent policy review, LCD L38623 includes guidelines for the use of implantable continuous glucose monitors. CMS NCD 40.3 is applicable for closed-loop blood glucose control devices used in an inpatient setting. Verify CMS guidelines in effect on the date of the prior authorization request. When there is no guidance from CMS for the requested service, Plan-adopted clinical review criteria will be used to determine the medical necessity of the service.

Applicable Coding

The Plan utilizes up-to-date, industry-standard Current Procedural Terminology (CPT) codes, Health Care Common Procedure Coding System (HCPCS) codes, and International Statistical Classification of Diseases and Related Health Problems, 10th revision (ICD-10) diagnosis codes in the Plan's medical policies. Since these codes may be updated at different intervals than the medical policy review cycle, the list of applicable codes included in a policy is informational only and may not be all inclusive. Applicable codes are subject to change without prior notification and do not guarantee member coverage or provider reimbursement. Review the Plan's reimbursement policies for Plan billing guidelines. Providers are responsible for obtaining prior authorization for the services specified in the Clinical Criteria section and Limitations and Exclusions section of a medical policy, even if an applicable code appropriately describing the service is not included in the policy's Applicable Coding section. Providers are expected to report all services using the most up-to-date, industry-standard procedures and diagnosis codes at the time of the service.

Medical Policy



Continuous Glucose Monitoring System

HCPCS Codes	Description: Codes Covered When Medically Necessary Plan note for HCPCS codes listed in this table: DME providers, medical supply providers, pharmacy providers, home infusion providers, home care providers, and specialty pharmacy providers must contact Northwood (rather than then Plan) to determine coverage and reimbursement guidelines for these components and to obtain authorization. Other provider types must contact the Plan to obtain authorization for services. All HCPCS codes listed in this table are managed by Northwood.
A4238	Supply allowance for adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month supply = 1 unit of service
A4239	Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month supply = 1 unit of service
A9276	Sensor; invasive (e.g., subcutaneous), disposable, for use with non-durable medical equipment interstitial continuous glucose monitoring system, 1 unit = 1-day supply
A9277	Transmitter; external, for use with non-durable medical equipment interstitial continuous glucose monitoring system
A9278	Receiver (monitor); external, for use with non-durable medical equipment interstitial continuous glucose monitoring system
E2102	Adjunctive, non-implanted continuous glucose monitor or receiver
E2103	Non-adjunctive, non-implanted continuous glucose monitor or receiver
CPT/HCPCS Codes	Description: Codes Considered Medically Necessary for Implantable Interstitial Glucose Sensor
0446T	Creation of subcutaneous pocket with insertion of implantable interstitial glucose sensor, including system activation and patient training Plan note: Code used for 90-day monitoring period.
0448T	Removal of implantable interstitial glucose sensor with creation of subcutaneous pocket at different anatomic site and insertion of new implantable sensor, including system activation Plan note: Code used for 90-day monitoring period.

HCPCS Codes	Description: Codes Covered When Medically Necessary for Artificial Pancreas Device System in the Outpatient Setting Plan note for HCPCS codes listed in this table: DME providers, medical supply providers, pharmacy providers, home infusion providers, home care providers, and specialty pharmacy providers must contact Northwood (rather than then Plan) to determine coverage and reimbursement guidelines for components of the system and to obtain authorization. Other provider types must contact the Plan to obtain authorization for services. All HCPCS codes listed in this table for artificial pancreas device system are managed by Northwood.
S1034	Artificial pancreas device system (e.g., low glucose suspend [LGS] feature) including continuous glucose monitor, blood glucose device, insulin pump and

Medical Policy



Continuous Glucose Monitoring System

computer algorithm that communicates with all of the devices

S1035	Sensor; invasive (e.g., subcutaneous), disposable, for use with artificial pancreas device system
S1036	Transmitter; external, for use with artificial pancreas device system
S1037	Receiver (monitor); external, for use with artificial pancreas device system

HCP Code	Description: Code Considered NOT Medically Necessary for Single-Use, Disposable and Nonprogrammable/Mechanical Insulin Infusion Devices
A9274	External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories
Plan notes:	
.	
1. Code may NOT be used for single-use, disposable and nonprogrammable/mechanical insulin infusion device (e.g., V-Go).	
2. DME providers, medical supply providers, pharmacy providers, home infusion providers, home care providers, and specialty pharmacy providers must contact Northwood at 1-866-802-6471 (rather than then Plan) to determine coverage and reimbursement guidelines for all other types of disposable external ambulatory insulin delivery systems (including supplies and accessories).	

References

Abbott. FreeStyle Libre Pro. Flash Glucose Monitoring System. Professional Continuous Glucose Monitoring. Billing and Reimbursement Guide.

Abraham MB, de Bock M, Smith GJ, Dart J, Fairchild JM, King BR, Ambler GR, Cameron FJ, McAuley SA, Keech AC, Jenkins A, Davis EA, O'Neal DN, Jones TW. Effect of a Hybrid Closed-Loop System on Glycemic and Psychosocial Outcomes in Children and Adolescents With Type 1 Diabetes. JAMA Pediatr. 2021 Dec;175(12):1–9. doi: 10.1001/jamapediatrics.2021.3965. PMID: 34633418.

Adolfsson P, Parkin CG, Thomas A, Krinelke LG. Selecting the Appropriate Continuous Glucose Monitoring System - a Practical Approach. Eur Endocrinol. 2018 Apr;14(1):24–9. doi: 10.17925/EE.2018.14.1.24. Epub 2018 Apr 18. PMID: 29922348.

Alexopoulos AS, Blair R, Peters AL. Management of Preexisting Diabetes in Pregnancy: A Review. JAMA. 2019 May 14;321(18):1811–9. doi: 10.1001/jama.2019.4981. PMID: 31087027.

Allen N, Gupta A. Current Diabetes Technology: Striving for the Artificial Pancreas. Diagnostics (Basel). 2019 Mar 15;9(1):31. doi: 10.3390/diagnostics9010031. PMID: 30875898.

Medical Policy



Continuous Glucose Monitoring System

Almurashi AM, Rodriguez E, Garg SK. Emerging Diabetes Technologies: Continuous Glucose Monitors/Artificial Pancreases. *J Indian Inst Sci.* 2023 Mar 28;1–26. doi: 10.1007/s41745-022-00348-3. PMID: 37362851.

Alvarenga CS, La Banca RO, Neris RR, Sparapani V, Fuentealba-Torres MF, Cartagena-Ramos D, Leal CL, Esper MV, Nascimento LC. Use of continuous subcutaneous insulin infusion in children and adolescents with type 1 diabetes mellitus: a systematic mapping review. *BMC Endocr Disord.* 2022;22:43. doi: 10.1186/s12902-022-00950-7. PMID: 35183150.

American Association of Clinical Endocrinologists (AACE), American College of Endocrinology (ACE). Bailey TS, Grunberger G, Bode BW, Handelsman Y, Hirsh IB, Jovanović L, Roberts VL, Rodbard D, Tamborlane WV, Walsh J. AACE and ACE 2016 Outpatient Glucose Monitoring Consensus Statement. *Endocr Pract.* 2016 Feb;22(2):231-61 doi: 10.4158/EP151124.CS. Epub 2016 Jan 27. PMID: 26848630.

American Association of Clinical Endocrinologists (AACE)/ American College of Endocrinology (ACE). Comprehensive Type 2 Diabetes Management Algorithm (2020).

American Association of Clinical Endocrinologists (AACE), American College of Endocrinology (ACE). Grunberger G, Abelseth JM, Bailey TS, Bode BW, Handelsman Y, Hellman R, Jovanović L, Lane WS, Raskin P, Tamborlane WV, Rothermel C. Consensus Statement by the AACE/ACE Insulin Pump Management Task Force. *Endocr Pract.* 2014 May 20(5):463-89. doi: 10.4158/EP14145.PS. PMID: 24816754.

American Association of Clinical Endocrinologists (AACE), American College of Endocrinology (ACE). Berga S, Blonde L, Bush M, Chandrasekar S, DeFronzo R, Einhorn D, Galindo R, Gardner T, Garg R, Garvey WT, McGill JB, Hirsch IB, Hurley DL, Izuora K, Kosiborod M, Olson D, Patel S, Pop-Busui R, Reddy S, Sadhu A, Samson S, Stec C, Tamborlane WV Jr, Tuttle K, Twining C, Umpierrez G, Vella A, Vellanki P, Weber S AACE and ACE - Clinical Practice Guidelines for Developing a Diabetes Mellitus Comprehensive Care Plan 2022 Update - 2022 Oct;28(10):923-1049.doi: 10.1016/j.eprac.2022.08.002. Epub 2022 Aug 11. PMID: 35963508.

American Diabetes Association (ADA). ADA Key Statements.

American Diabetes Association (ADA). Recent Advances.

American Diabetes Association (ADA). The Artificial Pancreas in 2016.

Medical Policy



Continuous Glucose Monitoring System

American Diabetes Association (ADA). Chiang J, Kirkman MS, Laffel L, Peters A. Type 1 Diabetes Through the Life Span: A Position Statement of the American Diabetes Association. *Diabetes Care*. 2014 Jul;37(7):2034-54. doi: 10.2337/dc14-1140. PMID: 24935775.

American Diabetes Association (ADA). Jackson CC, Albanese-O'Neill A, Butler KL, Chiang JL, Deeb LC, Hathaway K, Kraus E, Weissberg-Benchell, J, Yatvin AL, Siminerio LM. Diabetes Care in the School Setting: A Position Statement of the American Diabetes Association. *Diabetes Care*. 2015 Oct;38(10):1958-63. doi: 10.2337/dc15-1418. PMID: 26404925.

American Diabetes Association (ADA). Standards of Care in Diabetes-2025. *Diabetes Care*. 2024 Dec;47:S1-321.

Ascensia. Eversense 6-Month CGM Sensor. 2022.

Aschner P. Insulin Therapy in Type 2 Diabetes. *Am J Ther*. 2020 Jan/Feb;27(1):e79-90. doi: 10.1097/MJT.0000000000001088. PMID: 31567175.

Barnard KD, Kropff J, Choudhary P, et al. Acceptability of implantable continuous glucose monitoring sensor. *J Diabetes Sci Technol*. 2018;12(3):634-8. doi:10.1177/1932296817735123. PMID: 28990436.

Beck RW, Riddlesworth T, Ruedy K, Ahmann A, Bergenstal R, Haller S, Kollman C, Kruger D, McGill JB, Polonsky W, Toschi E, Wolpert H, Price D; DIAMOND Study Group. Effect of Continuous Glucose Monitoring on Glycemic Control in Adults With Type 1 Diabetes Using Insulin Injections: The DIAMOND Randomized Clinical Trial. *JAMA*. 2017 Jan 24;317(4):371-8. doi: 10.1001/jama.2016.19975. PMID: 28118453.

Bekiari E, Kitsios K, Thabit H, Tauschmann M, Athanasiadou E, Karagiannis T, Haidich AB, Hovorka R, Tsapas A. Artificial pancreas treatment for outpatients with type 1 diabetes: systematic review and meta-analysis. *BMJ*. 2018 Apr 18;361:k1310. doi: 10.1136/bmj.k1310. PMID: 29669716.

Boughton CK, Hovorka R. Advances in artificial pancreas systems. *Sci Transl Med*. 2019 Mar 20;11(484):eaaw4949. doi: 10.1126/scitranslmed.aaw4949. PMID: 30894501.

Boughton CK, Hovorka R. Is an artificial pancreas (closed-loop system) for Type 1 diabetes effective? *Diabet Med*. 2019 Mar;36(3):279-86. doi: 10.1111/dme.13816. Epub 2018 Oct 16. PMID: 30183096.

Boscari F, Vettoretti M, Cavallin F, Amato AML, Uliana A, Vallone V, Avogaro A, Facchinetti A, Bruttomesso D. Implantable and transcutaneous continuous glucose monitoring system: a randomized

Medical Policy



Continuous Glucose Monitoring System

cross over trial comparing accuracy, efficacy and acceptance. J Endocrinol Invest. 2022 Jan;45(1):115-24. doi:10.1007/s40618-021-01624-2. Epub 2021 Jul 1. PMID: 34196924.

Buschur EO, Faulds E, Dungan K. CGM in the Hospital: Is It Ready for Prime Time? Curr Diab Rep. 2022;22(9):451-60. doi: 10.1007/s11892-022-01484-x. PMID: 35796882.

Centers for Disease Control and Prevention (CDC). National Diabetes Statistics Report.

Centers for Medicare & Medicaid Services (CMS). Local Coverage Determination (LCD) for Implantable Continuous Glucose Monitors (I-CGM) L38623. 2020 Dec 1. National Government Services, Inc. Revised: 2024 Aug 14.

Centers for Medicare & Medicaid Services (CMS). Manuals. Publication # 100-02. Medicare Benefit Policy Manual.

Centers for Medicare & Medicaid Services (CMS). Manuals. Publication # 100-03. Medicare National Coverage Determinations (NCD) Manual.

Centers for Medicare & Medicaid Services (CMS). Medicare Coverage Database.

Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Closed-Loop Blood Glucose Control Device (CBGCD). 40.3. 1983 Jul 1.

Centers for Medicare & Medicaid Services (CMS). Transmittals.

Centers for Medicare & Medicaid Services (CMS). MLN Matters®. Current Medicare Coverage of Diabetes Supplies. Number SE18011.

Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Infusion Pumps 280.14. Version 2. 2004 Dec 17.

Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Medical Nutrition Therapy 180.1. 2022 Jan 1

Centers for Medicare and Medicaid Services (CMS). National Coverage Determination (NCD) for Routine Costs in Clinical Trials 310.1. Version 2. 2025 May 27.

Centers for Medicare & Medicaid Services (CMS). Transmittals.

Medical Policy



Continuous Glucose Monitoring System

Christiansen MP, Klaff LJ, Brazg R, Chang AR, Levy CJ, Lam D, Denham DS, Atiee G, Bode BW, Walters SJ, Kelley L, Bailey TS. A prospective multicenter evaluation of the accuracy of a novel implanted continuous glucose sensor: PRECISE II. *Diabetes Technol Ther.* 2018 Mar;20(3):197-206. doi:10.1089/dia.2017.0142. Epub 2018 Jan 30. PMID: 29381090.

Christiansen MP, Klaff LJ, Bailey TS, Brazg R, Carlson G, Tweden KS. A prospective multicenter evaluation of the accuracy and safety of an implanted continuous glucose sensor: the PRECISION study. *Diabetes Technol Ther.* 2019 May;21(5):231-7. doi:10.1089/dia.2019.0020. PMID: 30925083.

Commonwealth of Massachusetts. Division of Insurance (DOI) Bulletins.

Commonwealth of Massachusetts. Guidelines for Medical Necessity Determination for Diabetes Management Devices: Continuous Glucose Monitoring Systems and Insulin Pumps. 2024 Jan 18.

Commonwealth of Massachusetts. MassHealth Provider Bulletins.

Commonwealth of Massachusetts. MassHealth Provider Manuals.

Commonwealth of Massachusetts. MassHealth Transmittal Letters.

Dai X, Luo ZC, Zhai L, Zhao WP, Huang F. Artificial Pancreas as an Effective and Safe Alternative in Patients with Type 1 Diabetes Mellitus: A Systematic Review and Meta-Analysis. *Diabetes Ther.* 2018 Jun;9(3):1269-77. doi: 10.1007/s13300-018-0436-y. Epub 2018 May 9. PMID: 29744820.

Deiss D, Irace C, Carlson G, Tweden KS, Kaufman FR. Real-world safety of an implantable continuous glucose sensor over multiple cycles of use: a post-market registry study. *Diabetes Technol Ther.* 2020 Jan;22(1):48-52. doi:10.1089/dia.2019.0159. PMID: 31418587.

Department of Veterans Affairs (VA) and Department of Defense (DoD). VA/DoD Clinical Practice Guideline for the Management of Type 2 Diabetes Mellitus in Primary Care. 2023 May.

Dermawana D, Purbayantob MA. An overview of advancements in closed-loop artificial pancreas system. *Heliyon.* 2022 Nov;8(11):e11648. doi: 10.1016/j.heliyon.2022.e11648. PMID: 36411933.

Dexcom. FDA Authorizes Marketing of the New Dexcom G6® CGM Eliminating the Need for Fingertick Blood Testing for People with Diabetes. 2018 Mar 27.



Continuous Glucose Monitoring System

Dicembrini I, Cosentino C, Monami M, Mannucci E, Pala L. Effects of real-time continuous glucose monitoring in type 1 diabetes: a meta-analysis of randomized controlled trials. *Acta Diabetol.* 2021 Apr;58(4):401-10. doi: 10.1007/s00592-020-01589-3. Epub 2020 Aug 13. PMID: 32789691

Dovc K, Name MV, Bizjan BJ, Rusak E, Piona C, Yesiltepe-Mutlu G, Mentink R, Frontino G, Macedoni M, Ferreira SH, Serra-Caetano J, Galhardo J, Pelicand J, Silvestri F, Sherr J, Chobot A, Biester T. Continuous glucose monitoring use and glucose variability in very young children with type 1 diabetes (VibRate): A multinational prospective observational real-world cohort study. *Diabetes Obes Metab.* 2022 Mar;24(3):564–69. doi: 10.1111/dom.14607. PMID: 34820985.

Endocrine Society. Klonoff DC, Buckingham B, Christiansen JS, Montori VM, Tamborlane WV, Vigersky RA, Wolpert H. Continuous Glucose Monitoring: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab.* 2011 Oct;96(10):2968-79. doi: 10.1210/jc.2010-2756. PMID: 21976745.

Farrell CM, McCrimmon RJ. Clinical approaches to treat impaired awareness of hypoglycaemia. *Ther Adv Endocrinol Metab.* 2021;12:20420188211000248. doi: 10.1177/20420188211000248. PMID: 33796253.

Fowler MJ. Microvascular and Macrovascular Complications of Diabetes. *Clinical Diabetes.* 2018 Apr;26(2):77-82. doi:10.2337/diaclin.26.2.77.

Friedman JG, Matos ZC, Szmuiłowicz ED, Aleppo G. Use of Continuous Glucose Monitors to Manage Type 1 Diabetes Mellitus: Progress, Challenges, and Recommendations. *Pharmgenomics Pers Med.* 2023;16:263–76. doi: 10.2147/PGPM.S374663. PMID: 37025558.

Fuchs J, Hovorka R. Closed-loop control in insulin pumps for type-1 diabetes mellitus: safety and efficacy. *Expert Rev Med Devices.* 2020 Jul;17(7):707–20. doi: 10.1080/17434440.2020.1784724. PMID: 32569476.

García-Moreno RM, Benítez-Valderrama P, Barquiel B, Pérez-de-Villar NG, Hillman N, Pablos DL, Herranz L. Efficacy of continuous glucose monitoring on maternal and neonatal outcomes in gestational diabetes mellitus: a systematic review and meta-analysis of randomized clinical trials. *Diabet Med.* 2022 Jan;39(1):e14703. doi: 10.1111/dme.14703. Epub 2021 Oct 13. PMID: 34564868.

Garg SK, Liljenquist D, Bode B, Christiansen MP, Bailey TS, Brazg RL, Denham DS, Chang AR, Akturk HK, Dehennis A, Tweden KS, Kaufman FR. Evaluation of accuracy and safety of the next-generation up to 180-day long-term implantable Eversense Continuous Glucose Monitoring System: the PROMISE study. *Diabetes Technol Ther.* 2022 Feb;24(2):84–92. doi:10.1089/dia.2021.0182. PMID: 34515521.

Medical Policy



Continuous Glucose Monitoring System

Gubitosi-Klug RA, Braffett BH, Bebu J, Johnson ML, Farrell K, Kenny D, Trapani VR, Meadema-Mayer L, Soliman EZ, Pop-Busui R, Lachin JM, Bergenstal RM, Tamborlane WV. Continuous Glucose Monitoring in Adults with Type 1 Diabetes with 35 Years Duration from the DCCT/EDIC Study. *Diabetes Care*. 2022 Mar;45(3):659–65. doi: 10.2337/dc21-0629.

Hakami H. FDA Approves MiniMed 670G System – World’s First Hybrid Closed Loop System. Medtronic. 2016 Sep 28.

Hayes. Evidence Analysis Research Brief. iLet Bionic Pancreas (Beta Bionics) for Management of Type 1 Diabetes. Dallas, TX: 2023 Jun 2.

Hayes. Evidence Analysis Research Brief. V-Go (MannKind Corp.) Disposable Insulin Delivery Device for the Management of Type 1 or Type 2 Diabetes Mellitus. Dallas, TX; 2024 Mar 22.

Hayes. Evolving Evidence Review. Dexcom G6 (Dexom, Inc.) Continuous Glucose Monitoring System for Type 2 Diabetes Mellitus. Dallas, TX: Hayes; 202e Apr 24.

Hayes. Health Technology Assessment. Artificial Pancreas with the MiniMed 670G for the Management of Diabetes Mellitus. Dallas, TX: Hayes; 2020 Nov 6. Updated 2023 Nov 13.

Hayes. Health Technology Assessment. Artificial Pancreas with the t:slim X2 for the Management of Diabetes Mellitus. Dallas, TX: Hayes; 2023 Nov 13.

Hayes. Health Technology Assessment. Continuous Subcutaneous Insulin Infusion with OmniPod Insulin Management System (Insulet Corporation) for Management of Diabetes Mellitus. Dallas, TX: Hayes; 2023 Mar 20.

Hayes. Health Technology Assessment. Eversense Continuous Glucose Monitoring System for Maintaining Glycemic Control in Adults with Diabetes Mellitus. Dallas, TX: Hayes; 2024 Apr 11.

Hayes. Health Technology Assessment. FreeStyle Libre Flash Glucose Monitoring System For Maintaining Glycemic Control In Adults With Diabetes Mellitus. Dallas, TX: Hayes; 2020 Oct 8.

Health Quality Ontario. Continuous Monitoring of Glucose for Type 1 Diabetes: A Health Technology Assessment. Ontario Health Technology Assessment Series. 2018 Feb 21;18(2):1-160. eCollection 2018. PMID: 29541282.



Continuous Glucose Monitoring System

Holzer R, Bloch W, Brinkmann C. Continuous Glucose Monitoring in Healthy Adults—Possible Applications in Health Care, Wellness, and Sports. *Sensors (Basel)*. 2022 Mar;22(5):2030. doi: 10.3390/s22052030. PMID: 35271177.

Insulet Corporation. Products. Omnipod 5. Prescribe Omnipod 5 Exclusively through the Pharmacy with Less Hassle. 2022.

International Society for Pediatrics and Adolescent Diabetes (ISPAD). Abraham MB, Karges B, Dovc K, Naranjo D, Arbelaez AM, Mbogo J, Javelikar G, Jones TW, Mahmud FH. ISPAD Clinical Practice Consensus Guidelines 2022: Assessment and management of hypoglycemia in children and adolescents with diabetes. *Pediatr Diabetes*. 2022 Dec;23(8):1322-40. doi: 10.1111/pedi.13443. PMID: 36537534.

International Society for Pediatrics and Adolescent Diabetes (ISPAD). de Bock M, Codner E, Craig ME, Huynh T, Maahs DM, Mahmud FH, Marcovecchio L, DiMeglio LA. ISPAD Clinical Practice Consensus Guidelines 2022: Glycemic targets and glucose monitoring for children, adolescents, and young people with diabetes. *Pediatr Diabetes*. 2022 Dec;23(8):1270-6. doi: 10.1111/pedi.13455. PMID: 36537523.

Irace C, Cutruzzolà A, Nuzzi A, et al. Clinical use of a 180-day implantable glucose sensor improves glycated haemoglobin and time in range in patients with type 1 diabetes. *Diabetes Obes Metab*. 2020;22(7):1056-61. doi:10.1111/dom.13993.

Isaacson B, Kaufusi S, Sorensen J, Joy E, Jones C, Ingram V, Mark N, Phillips M, Briesacher M. Demonstrating the Clinical Impact of Continuous Glucose Monitoring Within an Integrated Healthcare Delivery System. *J Diabetes Sci Technol*. 2022 Mar;16(2):383-9. doi: 10.1177/1932296820955228. PMID: 32935561.

Jabari M. Efficacy and safety of closed-loop control system for type one diabetes in adolescents a meta-analysis. *Sci Rep*. 2023;13:13165. doi: 10.1038/s41598-023-40423-y. PMID: 37574494.

Jackson MA, Ahmann A, Shah VN. Type 2 Diabetes and the Use of Real-Time Continuous Glucose Monitoring. *Diabetes Technol Ther*. March 2021; 23(Suppl 1): S-27-34. doi: 10.1089/dia.2021.0007. PMID: 33534631.

Jacob P, Potts L, Maclean RH, de Zoysa N, Rogers H, Gonder-Frederick L, Smith EL, Kariyawasam D, Brooks A, Heller S, Toschi E, Bakolis KM, Choudhary P, Goldsmith K, Amiel SA. Characteristics of adults with type 1 diabetes and treatment-resistant problematic hypoglycaemia: a baseline analysis from the HARPdoc RCT. *Diabetologia*. 2022;65(6):936-48. doi: 10.1007/s00125-022-05679-5. PMID: 35325258.



Continuous Glucose Monitoring System

Jafri RZ, Balliro CA, El-Khatib F, et al. A three-way accuracy comparison of the Dexcom G5, Abbott Freestyle Libre Pro, and Senseonics Eversense continuous glucose monitoring devices in a home-use study of subjects with type 1 diabetes. *Diabetes Technol Ther.* 2020;22(11):846-52. doi:10.1089/dia.2019.0449.

Joseph JJ. Review of the Long-Term Implantable Senseonics Continuous Glucose Monitoring System and Other Continuous Glucose Monitoring Systems. *J Diabetes Sci Technol.* 2021 Jan;15(1):167-73. doi: 10.1177/1932296820911919. PMID: 32345047.

Juvenile Diabetes Research Foundation Continuous Glucose Monitoring Study Group. Effectiveness of continuous glucose monitoring in a clinical care environment: evidence from the Juvenile Diabetes Research Foundation continuous glucose monitoring (JDRF-CGM) trial. *Diabetes Care.* 2010 Jan;33(1):17-22. doi: 10.2337/dc09-1502. Epub 2009 Oct 16. PMID: 19837791.

Juvenile Diabetes Research Foundation Continuous Glucose Monitoring Study Group, Beck RW, Buckingham B, Miller K, Wolpert H, Xing D, Block JM, Chase HP, Hirsch I, Kollman C, Laffel L, Lawrence JM, Milaszewski K, Ruedy KJ, Tamborlane WV. Factors predictive of use and of benefit from continuous glucose monitoring in type 1 diabetes. *Diabetes Care.* 2009 Nov;32(11):1947-53. doi: 10.2337/dc09-0889. Epub 2009 Aug 12. PMID: 19675206.

Juvenile Diabetes Research Foundation Continuous Glucose Monitoring Study Group, Tamborlane WV, Beck RW, Bode BW, Buckingham B, Chase HP, Clemons R, Fiallo-Scharer R, Fox LA, Gilliam LK, Hirsch IB, Huang ES, Kollman C, Kowalski AJ, Laffel L, Lawrence JM, Lee J, Mauras N, O'Grady M, Ruedy KJ, Tansey M, Tsalikian E, Weinzimer S, Wilson DM, Wolpert H, Wysocki T, Xing D. Continuous glucose monitoring and intensive treatment of type 1 diabetes. *N Engl J Med.* 2008 Oct 2;359(14):1464-76. doi: 10.1056/NEJMoa0805017. Epub 2008 Sep 8. PMID: 18779236.

Karageorgiou V, Papaioannou TG, Bellos I, Alexandraki K, Tentolouris N, Stefanadis C, Chrousos GP, Tousoulis D. Effectiveness of artificial pancreas in the non-adult population: A systematic review and network meta-analysis. *Metabolism.* 2019 Jan;90:20-30. doi: 10.1016/j.metabol.2018.10.002. Epub 2018 Oct 12. PMID: 30321535.

Karter AJ, Parker MM, Moffet HH, Gilliam LK, Dlott R. Association of Real-time Continuous Glucose Monitoring with Glycemic Control and Acute Metabolic Events Among Patients With Insulin-Treated Diabetes. *JAMA.* 2021 Jun 8;325(22):1-12. doi: 10.1001/jama.2021.6530. PMID: 34077502.



Continuous Glucose Monitoring System

Kieu A, King J, Govender RD, Östlundh L. The Benefits of Utilizing Continuous Glucose Monitoring of Diabetes Mellitus in Primary Care: A Systematic Review. *J Diabetes Sci Technol*. 2023 May;17(3):762–74. doi: 10.1177/19322968211070855. PMID: 35100891.

Lane AS, Mlynarczyk MA, de Veciana M, Green LM, Baraki DI, Abuhamad AZ. Real-Time Continuous Glucose Monitoring in Gestational Diabetes: A Randomized Controlled Trial. *Am J Perinatol*. 2019 Jul;36(9):891-7. doi: 10.1055/s-0039-1678733. Epub 2019 Feb 28. PMID: 30818406.

Lee YJ, Lee YA, Kim JH, Chung HR, Gu MJ, Kim JY, Shin CH. The durability and effectiveness of sensor-augmented insulin pump therapy in pediatric and young adult patients with type 1 diabetes. *Ann Pediatr Endocrinol Metab*. 2020 Dec;25(4):248–55. doi: 10.6065/apem.2040048.024. PMID: 33401881.

Li A, Brackenridge A. The role of continuous glucose monitoring in pregnancy. *Obstet Med*. 2022 Mar;15(1):6–10. doi: 10.1177/1753495X211014716. PMID: 35444725.

Marks BE, Williams KM, Sherwood JS, Putmand MS. Practical aspects of diabetes technology use: Continuous glucose monitors, insulin pumps, and automated insulin delivery systems. *J Clin Transl Endocrinol*. 2022 Mar;27:100282. doi: 10.1016/j.jcte.2021.100282. PMID: 34917483.

Martens T, Beck RW, Bailey R, Ruedy KJ, Calhoun P, Peters AL, Pop-Busui R, Philis-Tsimikas A, Bao S, Umpierrez G, Davis G, Kruger D, Bhargava A, Young L, McGill JB, Aleppo G, Nguyen QT, Orozco I, Biggs W, Lucas KJ, Polonsky WH, Buse JB, Price D, Bergenstal RM. Effect of Continuous Glucose Monitoring on Glycemic Control in Patients With Type 2 Diabetes Treated With Basal Insulin: A Randomized Clinical Trial. *JAMA*. 2021 Jun 8;325(22):2262-72. doi: 10.1001/jama.2021.7444. PMID: 34077499.

MassHealth Guidelines for Medical Necessity Determination for Diabetes Management Devices: Continuous Glucose Monitoring Systems and Insulin Pumps. Executive Office of Health and Human Services. 2022 Jul.

Meade LT, Battise D. Evaluation of Clinical Outcomes With the V-Go Wearable Insulin Delivery Device in Patients with Type 2 Diabetes. *Clin Diabetes*. 2021 Jul;39(3):297–303. doi: 10.2337/cd20-0094. PMID: 34421206.

Miller EM. Using Continuous Glucose Monitoring in Clinical Practice. *Clin Diabetes*. 2020 Dec;38(5):429–38. doi: 10.2337/cd20-0043. PMID: 33384468.

Medical Policy



Continuous Glucose Monitoring System

Moon SJ, Jung I, Park C. Current Advances of Artificial Pancreas Systems: A Comprehensive Review of the Clinical Evidence. *Diabetes Metab J*. 2021 Nov;45(6):813–39. doi: 10.4093/dmj.2021.0177. Epub 2021 Nov 22. PMID: 34847641.

Müller L, Habif S, Leas S, Aronoff-Spencer E. Reducing Hypoglycemia in the Real World: A Retrospective Analysis of Predictive Low-Glucose Suspend Technology in an Ambulatory Insulin-Dependent Cohort. *Diabetes Technol Ther*. 2019 Sep 1;21(9):478–84. doi: 10.1089/dia.2019.0190. PMID: 31329468.

Nakhleh A, Shehadeh N. Hypoglycemia in diabetes: An update on pathophysiology, treatment, and prevention. *World J Diabetes*. 2021 Dec 15;12(12):2036–49. doi: 10.4239/wjd.v12.i12.2036. PMID: 35047118.

Natale P, Chen S, Chow CK, Cheung NW, Martinez-Martin D, Caillaud C, Scholes-Robertson N, Kelly A, Craig JC, Strippoli G, Jaure A. Patient experiences of continuous glucose monitoring and sensor-augmented insulin pump therapy for diabetes: A systematic review of qualitative studies. *J Diabetes*. 2023 Dec;15(12):1048–69. doi: 10.1111/1753-0407.13454. PMID: 37551735.

National Institute for Health and Care Excellence (NICE). Dexcom G6 for real-time continuous glucose monitoring. Medtech innovation briefing MIB233. 2020 Nov 3.

National Institute for Health and Care Excellence (NICE). Diabetes in pregnancy: management from preconception to the postnatal period. NICE Guideline NG3. 2015 Feb 25. Last Updated 2020 Dec 16.

National Institute for Health and Care Excellence (NICE). Diabetes (type 1 and type 2) in children and young people: diagnosis and management. NICE Guideline NG18. 2015 Aug 1. Updated 2023 May 11.

National Institute for Health and Care Excellence (NICE). Hybrid closed loop systems for managing blood glucose levels in type 1 diabetes. Technology appraisal guidance [TA943]. 2023 Dec 19. management. NICE Guideline NG17. 2015 Aug 26. Updated 2022 August 17.

National Institute for Health and Care Excellence (NICE). Type 2 diabetes in adults: management. NICE Guideline [NG28]. 2015 Dec 2. Updated 2022 June 29.

New Hampshire Department of Health and Human Services. Billing Manuals.

New Hampshire Department of Health and Human Services. Provider Notices.

Medical Policy



Continuous Glucose Monitoring System

Nwokolo M, Hovorka R. The Artificial Pancreas and Type 1 Diabetes. *J Clin Endocrinol Metab.* 2023 Jun 16;108(7):1614–23. doi: 10.1210/clinem/dgado68. PMID: 36734145.

Ólafsdóttir AF, Bolinder J, Heise T, Polonsky W, Ekelund M, Wijkman M, Pivodic A, Ahlén E, Schwarcz E, Nyström T, Hellman J, Hirsch IB, Lind M. The majority of people with type 1 diabetes and multiple daily insulin injections benefit from using continuous glucose monitoring: An analysis based on the GOLD randomized trial (GOLD-5). *Diabetes Obes Metab.* 2021 Feb;23(2):619–30. doi: 10.1111/dom.14257. PMID: 33200487.

Oppel E, Kamann S, Heinemann L, Reichl F-X, Högg C. The implanted glucose monitoring system Eversense: an alternative for diabetes patients with isobornyl acrylate allergy. *Contact Dermat.* 2020 Feb;82(2):101–4. doi: 10.1111/cod.13392. Epub 2019 Sep 17. PMID: 31463958.

Owens DR, Bolli GB. The continuing quest for better subcutaneously administered prandial insulins: a review of recent developments and potential clinical implications. *Diabetes Obes Metab.* 2020 May;22(5):743–54. doi: 10.1111/dom.13963. PMID: 31930670.

Polonsky WH, Hessler D, Ruedy KJ, Beck RW; DIAMOND Study Group. The Impact of Continuous Glucose Monitoring on Markers of Quality of Life in Adults with Type 1 Diabetes: Further Findings from the DIAMOND Randomized Clinical Trial. *Diabetes Care.* 2017 Jun;40(6):736–41. doi: 10.2337/dc17-0133. Epub 2017 Apr 7. PMID: 28389582.

Ravikumar V, Ahmed A, Anjankar A. A Review on Latent Autoimmune Diabetes in Adults. *Cureus.* 2023 Oct;15(10):e47915. doi: 10.7759/cureus.47915. PMID: 38034250.

Renard E, Riveline JP, Hanaire H, Guerci B. Reduction of clinically important low glucose excursions with a long-term implantable continuous glucose monitoring system in adults with type 1 diabetes prone to hypoglycaemia: the France Adoption Randomized Clinical Trial. *Diabetes Obes Metab.* 2022 May;24(5):859–67. doi: 10.1111/dom.14644. Epub 2022 Feb 7. PMID: 34984786.

Sanchez P, Ghosh-Dastidar S, Tweden KS, Kaufman FR. Real-World Data from the First U.S. Commercial Users of an Implantable Continuous Glucose Sensor. *Diabetes Technol Ther.* 2019 Dec;21(12):677–81. doi: 10.1089/dia.2019.0234. Epub 2019 Aug 28.

Talbo MK, Katz A, Hill L, Peters TM, Yale J, Brazeau A. Effect of diabetes technologies on the fear of hypoglycaemia among people living with type 1 diabetes: a systematic review and meta-analysis. *eClinicalMedicine.* 2023 Aug;62:102119. doi: 10.1016/j.eclinm.2023.102119. PMID: 37593226.

Medical Policy



Continuous Glucose Monitoring System

Templer S. Closed-Loop Insulin Delivery Systems: Past, Present, and Future Directions. *Front Endocrinol (Lausanne)*. 2022;13:919942. doi: 10.3389/fendo.2022.919942. PMID: 35733769.

Tweden KS, Deiss D, Rastogi R, Addaguduru S, Kaufman FR. Longitudinal analysis of real-world performance of an implantable continuous glucose sensor over multiple sensor insertion and removal cycles. *Diabetes Technol Ther*. 2020 May;22(5):422-7. doi: 10.1089/dia.2019.0342. PMID: 31697182.

U. S. Food and Drug Administration (FDA). FDA Premarket Approval Letter. MiniMed 630G System. 2022 Dec 16.

U. S. Food and Drug Administration (FDA). Medical Devices. Eversense E3 Continuous Glucose Monitoring System – P160048/S016. Approval Date 2022 Feb 10.

U. S. Food and Drug Administration (FDA). Medical Devices. Premarket Approval (PMA). Dexcom G4 Platinum Continuous Glucose Monitoring System. 2019 Aug 20.

U. S. Food and Drug Administration (FDA). Premarket Approval (PMA). Dexcom G7 Continuous Glucose Monitoring (CGM) System. 2022 September 15.

U. S. Food and Drug Administration (FDA). Premarket Approval (PMA). Eversense Continuous Glucose Monitoring System. 2018 Jun 21.

U. S. Food and Drug Administration (FDA). Premarket Approval (PMA). FreeStyle Libre 3 Integrated Continuous Glucose Monitoring System. 2022 May 26.

U. S. Food and Drug Administration (FDA). Premarket Approval (PMA). T:slim X2 Insulin Pump With Dexcom G5 Mobile CGM. PMA Number P140015. Decision Date 2017 Aug 25.

U. S. Food and Drug Administration (FDA). Summary of Safety and Effectiveness Data. GlucoWatch® G2 Biographer. 2002 Aug 26.

Usuh CO, Johnson CP, Speiser JL, Bundy R, Dharod A, Aloji JA. Real-World Efficacy of the Hybrid Closed-Loop System. *J Diabetes Sci Technol*. 2022 May;16(3):659–62. doi: 10.1177/1932296820985103. PMID: 33430621.

Van Name MA, Kanapka LG, DiMeglio LA, Miller KM, Albanese-O'Neill A, Commissariat P, Corathers SD, Harrington KR, Hilliard ME, Anderson BJ, Kelley JC, Laffel LM, MacLeish SA, Nathan BM, Tamborlane WV, Wadwa RP, Willi SM, Williams KM, Wintergerst KA, Woerner S,

Medical Policy



Continuous Glucose Monitoring System

Wong JC, DeSalvo DJ. Long-term Continuous Glucose Monitor Use in Very Young Children with Type 1 Diabetes: One-Year Results from the SENCE Study. *J Diabetes Sci Technol*. 2023 Jul;17(4):976–87. doi: 10.1177/19322968221084667. PMID: 35343269.

Weinstock RS. Continuous subcutaneous insulin infusion (insulin pump). UpToDate. 2024 Jun 27.

Weinstock RS. Management of blood glucose in adults with type 1 diabetes mellitus. UpToDate. 2024 Jan 02.

White ND, Knezevich E. Flash Glucose Monitoring Technology Impact on Diabetes Self-Care Behavior. *Am J Lifestyle Med*. 2020 Mar-Apr;14(2):130–2. doi: 10.1177/1559827619890955. PMID: 32231476.

Yu J, Cho J, Lee S. The era of continuous glucose monitoring and its expanded role in type 2 diabetes. *J Diabetes Investig*. 2023 Jul;14(7):841–3. doi: 10.1111/jdi.14028. PMID: 37145998.

Zealand Pharma. V-Go®. Prescribing & Dosing. Overview to Start Patients on V-Go®.

Next Review Date

02/01/26

Authorizing Entity

UMC

Appendix

Appendix: Policy History

Disclaimer Information:

Plan refers to Boston Medical Center Health Plan, Inc. which operates under the trade name WellSense Health Plan. Medical Policies are the Plan's guidelines for determining the medical necessity of certain services or supplies for purposes of determining coverage. These Policies may also describe when a service or supply is considered experimental or investigational, or cosmetic. In making coverage decisions, the Plan uses these guidelines and other Plan Policies, as well as the Member's benefit document, and when appropriate, coordinates with the Member's health care Providers to consider the individual Member's health care needs.

Plan Policies are developed in accordance with applicable state and federal laws and regulations, and accrediting organization standards (including NCQA). Medical Policies are also developed, as appropriate, with consideration of the medical necessity definitions in various Plan products, review of current literature, consultation with practicing Providers in the Plan's service area who are medical experts in the particular field, and adherence to FDA and other government agency policies. Applicable state or federal mandates, as well as the Member's benefit document, take precedence over these guidelines. Policies are reviewed and updated on an annual basis, or more frequently as needed. Treating providers are solely responsible for the medical advice and treatment of Members.

The use of this Policy is neither a guarantee of payment nor a final prediction of how a specific claim(s) will be adjudicated. Reimbursement is based on many factors, including member eligibility and benefits on the date of service; medical necessity;

Medical Policy



Continuous Glucose Monitoring System

utilization management guidelines (when applicable); coordination of benefits; adherence with applicable Plan policies and procedures; clinical coding criteria; claim editing logic; and the applicable Plan – Provider agreement.

Appendix: Policy History

Regulatory Approval: N/A	11/10/08	Senior Medical Director as	MPCTAC, QIC, and UMC
Internal Approval:	Version 1	Chair of Utilization	
07/08/08: Medical Policy, Criteria, and Technology Assessment Committee (MPCTAC)		Management Committee (UMC)	
07/22/08: Utilization Management Committee (UMC)			
08/13/08: Quality Improvement Committee (QIC)			

- *Effective date for MassHealth: 11/10/08
- *Effective date for MA Clarity plans (formerly known as QHP Product)/Employer Choice Direct: 01/01/12
- *Effective date for MA Senior Care Options: 01/01/16
- *Effective date for NH Medicare Advantage HMO: 01/01/22
- *Effective date for NH Medicare Advantage PPO: 01/01/25
- *Effective date for NH Clarity plans: 01/01/25

Note: Policy title was *Continuous Glucose Monitoring Systems* until 10/31/16. Policy title effective 11/01/16 to 11/30/19 was *Continuous Glucose Monitoring Systems and Insulin Delivery Devices*. As of 12/01/19, the policy title has been changed to the following: *Continuous Glucose Monitoring Systems, Artificial Pancreas Delivery Systems, and Insulin Delivery Devices*.

Policy Revisions History

Review Date	Summary of Revisions	Revision Effective Date and Version Number	Approved by
07/28/09	No changes.	Version 2	07/28/09: MPCTAC 07/28/09: UMC 08/26/09: QIC

Medical Policy



Continuous Glucose Monitoring System

07/01/10	Updated clinical criteria with additional criteria for the short and long term use of CGMS. Updated references.	Version 3	08/18/10: MPCTAC 09/22/10: QIC
08/01/11	Updated references. No changes to criteria or code list.	Version 4	08/17/11: MPCTAC 09/28/11: QIC
07/01/12	Updated references. Added following statement to Description of Item or Service section: "Continuous glucose monitoring (CGM) in conjunction with intensive insulin regimens can be a useful tool to lower A1C." Revised Summary section. Added the following criteria in Medical Policy Statement for medically necessary use of 72 hour and long-term continuous glucose monitoring (CGM): (1) Consultation with an endocrinologist, (2) suspected postprandial hyperglycemia, (3) recurrent diabetic ketoacidosis, and/or (4) type 1 diabetic who is pregnant and has poorly controlled diabetes. Added the following criterion for CGM up to 72 hours: There is discordance between A1C and blood glucose levels. Added definition of type 1 diabetes. Added language regarding prior authorization guidelines for the receiver, transmitter, sensors, and supplies related to a continuous glucose monitoring device. Revised language in Applicable Coding section and updated applicable code definitions.	Version 5	07/18/12: MPCTAC 08/22/12: QIC
07/29/12	Off cycle review for NH Medicaid product, revised Summary statement, reformatted Medical Policy Statement, added Definitions section, revised Limitations statement.	Version 6	08/03/12: MPCTAC 09/05/12: QIC
07/01/13	Review for effective date 11/01/13. Updated Summary section to include reference to Northwood, Inc. Deleted duplicate text and reformatted Medical Policy Statement section. Added criterion stating that CGMS is used as an adjunct to finger stick testing to the Medical Policy Statement section (as	11/01/13 Version 7	07/17/13: MPCTAC 08/15/13: QIC

Medical Policy



Continuous Glucose Monitoring System

	specified in the Summary section). Added definition for diabetes mellitus and added text to Clinical Background Information section. Updated references.		
12/01/13	Review for effective date 05/01/14. Revised Summary, Description of Item or Service, Clinical Background Information, and References sections. Revised criteria in Medical Policy Statement and categorized criteria into short-term and long-term use of CGM. Limitations added.	05/01/14 Version 8	12/18/13: MPCTAC 01/21/14: QIC
12/01/14	Review for effective date 04/01/15. Updated Clinical Background Information section. Revised criteria in Medical Policy Statement section and Limitations section.	04/01/15 Version 9	12/17/14: MPCTAC 01/14/15: QIC
10/01/15	Review for effective date 12/01/15. Updated template with list of applicable products and corresponding notes.	12/01/15 Version 10	10/21/15: MPCTAC 11/11/15: QIC
10/21/15	Review for effective date 02/01/16. Revised the Limitations section and updated references. Clarified criteria in the Medical Policy Statement section.	02/01/16 Version 11	10/21/15: MPCTAC 11/11/15: QIC
11/25/15	Review for effective date 02/01/16. Revised language in the Applicable Coding section. Updated Summary and References sections.	02/01/16 Version 12	11/25/15: MPCTAC (electronic vote) 12/09/15: QIC
08/01/16	Review for effective date 11/01/16. Updated Summary, Description of Item or Service, Definitions, Clinical Background Information, References, and Reference to Applicable Laws and Regulations sections. Revised policy title and criteria in the Medical Policy Statement and Limitations sections. Added Plan notes and additional administrative changes made to the Applicable Coding section. Added applicable code A9274 as a device NOT considered medically necessary by the Plan when billed for the use of single-use, disposable and nonprogrammable/mechanical insulin infusion device.	11/01/16 Version 13	08/08/16: MPCTAC (electronic vote) 08/10/16: QIC
10/01/16	Review for effective date 12/01/16. Updated	12/01/16	10/19/16: MPCTAC

Medical Policy



Continuous Glucose Monitoring System

	Clinical Background Information and References sections. Administrative changes made to the Limitations section. Plan notes made to applicable codes. No change to criteria and/or the applicable code list.	Version 14	11/09/16: QIC
12/05/16	Industry-wide code change with the addition of 2017 applicable CPT codes 0446T and 0448T effective 01/01/17.	01/01/17 Version 15	Not applicable because industry-wide code revision.
04/01/17	Review for effective date 07/08/17. Clarified Limitations section without changing criteria. Add experimental and investigational codes to applicable code list for services already listed as experimental and investigational in the Limitations section. Updated Definitions and References sections.	07/08/17 Version 16	04/15/17: MPCTAC
06/01/17	Review for effective date 07/08/17. Industry-standard code update in the Applicable Coding section.	07/08/17 Version 17	06/21/17: MPCTAC
10/01/17	Review for effective date 01/01/18. Administrative changes made to the Policy Summary, Description of Item or Service, Definitions, Clinical Background Information, References, and Other Applicable Policies sections. Revised criteria in the Limitations section.	01/01/18 Version 18	10/18/17: MPCTAC
03/01/18	Review for effective date 06/01/18. Administrative changes made to Policy Summary, Definitions, References, and Other Applicable Policies sections. Updated criteria in the Medical Policy Statement and Limitations sections.	06/01/18 Version 19	03/21/18: MPCTAC
10/01/18	Review for effective date 01/01/19. Administrative changes made to the Policy Summary, Clinical Background Information, References, and Other Applicable Policies sections. Criteria revised in the Medical Policy Statement and Limitations sections. Coding updated in the Applicable Coding section.	01/01/19 Version 20	10/17/18: MPCTAC
09/01/19	Review for effective date 12/01/19. Revised	12/01/19	09/18/19: MPCTAC

Medical Policy



Continuous Glucose Monitoring System

	the policy title. Administrative changes made to Policy Summary, Description of Item or Service, Definitions, Clinical Background Information, References, and Reference to Applicable Laws and Regulations sections. Revised criteria in the Medical Policy Statement and Limitations sections. Updated coding and Plan notes in the Applicable Coding section.	Version 21	
11/01/19	Review for effective date 12/01/19. Administrative changes made the Limitations and Applicable Coding sections to clarify that the FreeStyle Libre is covered as a pharmacy benefit (and would not be authorized as medically necessary under the member's medical benefit or DME benefit). Updated the References section.	12/01/19 Version 22	11/20/19: MPCTAC
09/25/20	Review for effective date 10/01/20. Administrative changes made to the Medical Policy Statement, Limitations, Applicable Coding, Clinical Background Information, and Reference to Applicable Laws and Regulations sections to reference CMS guidelines for clinical indications for coverage for SCO members with Medicare coverage during the COVID-19 pandemic.	10/01/20 Version 23	09/25/20: MPCTAC (electronic vote)
09/01/20 and 09/25/20	Review for effective date 12/01/20. Administrative changes made to the Policy Summary, Description of Item or Service, Definitions, Clinical Background Information, References, and Other Applicable Policies sections. Plan notes updated in the Applicable Coding section. Criteria revised in the Medical Policy Statement and Limitations sections. Renumbered to version 24 with electronic vote on 09/25/20 to incorporate additional revisions made to the policy version effective 10/01/20 (version 23) referencing CMS guidelines for clinical indications for coverage for SCO members during the COVID-19 pandemic.	12/01/20 Version 24	09/16/20: MPCTAC and 09/25/20: MPCTAC (electronic vote)

Medical Policy



Continuous Glucose Monitoring System

10/01/21	Review for effective date 01/01/21. Adopted new medical policy template; removed administrative sections, Medical Policy Statement section renamed Clinical Criteria, the Limitations section renamed Limitations and Exclusions section. Added NH Medicare Advantage HMO as an applicable product effective 01/01/22. Administrative changes made to the Policy Summary, Applicable Coding, and References sections. Criteria revised in the Clinical Criteria and Limitations and Exclusions sections.	01/01/22 Version 25	10/20/21: MPCTAC
12/01/21	Review for effective date 03/01/22. Removed prior authorization requirement for the interpretation and report of authorized ambulatory continuous glucose monitoring (CPT code 95251).	03/01/22 Version 26 Not implemented – replaced with Version 27	12/15/21: MPCTAC
01/01/22	Review for effective date 03/01/22. Administrative changes made to the Policy Summary and References sections. Non-material revisions made to the Clinical Criteria and Limitations and Exclusions sections. Revisions approved in version 26 implemented.	03/01/22 Version 27	01/19/22: MPCTAC
04/01/22	Review for effective date 05/01/22. Updated Plan notes and added codes managed by Northwood as administrative changes to the Applicable Coding section. Industry-wide code updates made to the Applicable Coding section. Administrative changes made to the Policy Summary and Clinical Criteria sections.	05/01/22 Version 28	04/20/22: MPCTAC
07/01/22	Review for effective date 08/01/22. Administrative changes made to the Policy Summary and References sections. Industry-wide code updates made in the Applicable Coding section. Non-material revisions to criteria in the Clinical Criteria and Limitations and Exclusions sections.	08/01/22 Version 29	07/20/22: MPCTAC
12/01/22	Review for effective date 01/01/23.	01/01/23	12/21/22: MPCTAC

Medical Policy



Continuous Glucose Monitoring System

	Industry-wide code updates made to the Applicable Coding section. HCPCS code A4239 replaced K0553. HCPCS code E2103 replaced K0554. Removed codes not payable for any Plan product.	Version 30	
02/01/23	Review for effective date 03/01/23. Administrative changes made to the Policy Summary, Clinical Criteria, Applicable Coding, and References sections.	03/01/23 Version 31	02/15/23: MPCTAC
03/01/23	Review for effective date 06/01/23. Administrative changes made to the Policy Summary section. Removed prior authorization requirement CPT code 95250 in the Applicable Coding section.	06/01/23 Version 32 Version 32 not implemented	03/15/23: MPCTAC
04/01/23	Review for effective date 06/01/23. Removed language in the Variations section related to CMS guidelines associated with the COVID-19 pandemic. Incorporated all revisions approved for Version 32. Non-material changes to criteria in the Clinical Criteria section.	04/01/23 Version 33	03/21/23: MPCTAC
03/01/24	Review for effective date 04/01/24. Non-material changes to Clinical Criteria section. Administrative changes to References section.	04/01/24 Version 34	03/20/24: UMC

09/01/24	Review for effective date 01/01/25. NH Clarity added as an applicable product. Administrative changes made to the Variations and References sections.	01/01/25 Version 35	09/16/24: UMC (electronic vote)
04/01/25	Review for effective date 05/01/25. Administrative updates made to the Summary, Clinical Criteria and References section. Industry-wide updates made to the Coding section.	05/01/25 Version 36	04/16/25: UMC

End Appendix A

Change/Authorization History:

Revision	Date	Description of	Prepared /		Review	Effective
----------	------	----------------	------------	--	--------	-----------

Medical Policy



Continuous Glucose Monitoring System

Number		Change	Reviewed by	Approved by	Date:	Date:
A	1-31-11	Initial Release	Susan Glomb	Kenneth G. Fasse		
01	07-20-11	Added Important Note to all Medical Policies	Susan Glomb	Dr. B. Almasri		
02	11-08-11	Added Reference to Policy	Susan Glomb	Dr. B. Almasri	Nov. 2011	
03	11-28-12	Annual review – no changes.	Susan Glomb	Dr. B. Almasri	Nov. 2012	
04	12-18-13	Annual review. No changes	Susan Glomb	Dr. B. Almasri		
05	12-29-14	Annual Review. No changes	Susan Glomb	Dr. B. Almasri		
06	11-23-15	Annual Review. Added Artificial Pancreas codes and policy. Updated references.	Lisa Wojno	Dr. B. Almasri	November 2015	
07	7-6-16	Policy updated. Removed short term use information as short term use is non-covered.	Susan Glomb	Dr. B. Almasri		
08	12-14-	Annual Review. No	Lisa Wojno	Dr. B. Almasri	December	

Medical Policy



Continuous Glucose Monitoring System

	16	Changes.			2016	
09	12-11-17	Annual review. New K codes added for Therapeutic Continuous Glucose Monitor.	Carol Dimech	Dr. C. Lerchin	December 2017	
10	1-9-18	New K codes removed as these apply to Medicare only.	Carol Dimech	Dr. C. Lerchin	January 2018	
11	12-6-18	Annual review. No changes.	Carol Dimech	Dr. C. Lerchin	December 2018	
12	6-26-19	Added: SHP BadgerCare to follow Northwood Medicaid policy guidelines for codes A9276-A9278.	Carol Dimech	Dr. C. Lerchin	June 2019	
13	12-06-19	Annual review. Additional reference added to policy.	Carol Dimech	Dr. C. Lerchin	December 2019	December 6, 2019
14	12-08-20	Annual review. Per CMS: revised “physician” to “practitioner”.	Carol Dimech	Dr. C. Lerchin	December 8, 2020	December 8, 2020
15	12-8-21	Annual review. Removed: four times or more per day testing with blood	Carol Dimech	Dr. C. Lerchin	December 8, 2021	December

Medical Policy



Continuous Glucose Monitoring System

		glucose monitor as prerequisite for CGM coverage. Added NCD, LCD verbiage to “Important Note”.				8, 2021
16	3-1-22	Policy updated to reflect guidelines for WellSense.members (formerly BMCHP); refer to Appendix A.	Carol Dimech	Dr. C. Lerchin	March 1, 2022	March 1, 2022
17	4-27-22	Policy updated to reflect guidelines for WellSense.members (formerly BMCHP) effective 5/1/22; refer to Appendix A.	Carol Dimech	Dr. C. Lerchin	4-27-22	5-1-22
18	8-1-22	Policy updated to reflect guidelines for WellSense.members (formerly BMCHP); refer to Appendix A effective 8/1/22.	Carol Dimech	Dr. C. Lerchin	8-1-22	8-1-22
19	12-13-22	Annual review. Per industry standard, removed Type I Diabetes requirement to now reflect qualifying diagnosis of “diabetes”; also listed additional criteria.	Carol Dimech	Dr. C. Lerchin	12-13-22	12-13-22

Medical Policy



Continuous Glucose Monitoring System

20	12-29-22	Appendix A WellSense criteria updated to reflect Version 30, effective 1-1-23.	Carol Dimech	Dr. C. Lerchin	12-29-22	12-29-22
21	3-1-23	Appendix A WellSense criteria updated to reflect Version 31, effective 3-1-23.	Carol Dimech	Dr. C. Lerchin	3-1-23	3-1-23
22	4-19-23	Per CMS: Removed terms therapeutic and non-therapeutic. Added HCPCS E2103 and A4239. Revised HCPCS descriptor for Codes E2102, A4238.	Carol Dimech	Dr. C. Lerchin	4-19-23	4-19-23
23	6-1-23	Appendix A WellSense criteria updated to reflect Version 32, effective 6-1-23.	Carol Dimech	Dr. C. Lerchin	6-1-23	6-1-23
24	12-18-23	Annual review. No changes	Carol Dimech/Susan Glomb	Dr. C. Lerchin	12-18-23	December 2023
25	4-22-24	Appendix A WellSense criteria updated to reflect Version 34, effective 4-1-24.	Carol Dimech	Dr. C. Lerchin	4-22-24	April 2024

Medical Policy



Continuous Glucose Monitoring System

26	12-9-24	Annual review. Updated references.	Susan Glomb/Carol Dimech	Dr. C. Lerchin	12-9-24	12-9-24
27	4-30-25	Appendix A WellSense criteria updated to reflect Version 36, effective 5-1-25.	Carol Dimech	Dr. C. Lerchin	4/30/2025	4/30/2025
28	12-10-2025	Annual review. No changes.	Susan Kazmirski	Dr. C. Lerchin	12-10-2025	12-10-2025